

Combined Index to ASTM Technical Papers and Reports—1971

This is an index to all papers published by ASTM during 1971 in *MR&S*, in the *Journal of Materials*, and in *Special Technical Publications*. The following abbreviations were used. See *MR&S News Index* on page 74.

MR&S—Materials Research and Standards

JOM—Journal of Materials

STP—Special Technical Publications

A

- Abrasion resistance, gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590
- Acoustic analysis, magnetostriction transducers for acoustic emission, impulse, vibration, and noise analysis (Lynnworth and Bradshaw), *MR&S*, March, 1971, 33
- Acoustic detection
acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
acoustic emission testing and microfracture processes (Tetelman), *MR&S*, March, 1971, 13
assessment of structural integrity by acoustic emission (Hutton and Parry), *MR&S*, March, 1971, 25
dislocation mechanisms as possible sources of acoustic emission (Gillis), *MR&S*, March, 1971, 11
experimental considerations for acoustic emission testing (Tatro), *MR&S*, March, 1971, 17
factors affecting acoustic emission response from materials (Dunegan and Green), *MR&S*, March, 1971, 21
- Acoustic detection, see Acoustic emission
- Acoustic measurements
acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
acoustic emission simulation test set (Fowler), *MR&S*, March, 1971, 35
recent developments in acoustical imaging (Brenden), *MR&S*, Sept., 1971, 16
- Acquaviva, S. J.: Drop weight test for the impact strength of ceramic materials, *MR&S*, Oct., 1971, 21
- Adams, J. I.
and Radhakrishna, H. S.: Loss of strength due to sampling in a glacial lake deposit, *STP* 483
see Lo, K. Y., Seychuk, J. L., and Adams, J. I.
- Adams, N. J.: Influence of curvature on stress intensity at the tip of a circumferential crack in a cylindrical shell, *STP* 486
- Adepegba, Dotun: Test for validity of indirect tension tests of stabilized soils, *JOM*, Sept., 1971, 555
- Adhesive bonding
failure analysis of a bonded honeycomb structure: a case study employing SEM (Bailey), *STP* 493
material toughness and residual strength of damage tolerant aircraft structures (Liu and Ekval), *STP* 486
evaluation and prediction of the residual strength of center cracked tension panels (Feddersen), *STP* 486
development of the fail-safe design features of the DC-10 (Swift), *STP* 486
fatigue crack propagation in stiffened panels (Poe), *STP* 486
material toughness and residual strength of damage tolerant aircraft structures (Liu and Ekval), *STP* 486
- Aircraft rotary wings, crack propagation in helicopter rotor blades (Rich), *STP* 486
- Aircraft wings, initiation and growth of fatigue cracks in and residual strength of the F-100 wing (Graziano and Fitch), *STP* 486
- Aitcin, P. C.: Density and porosity measurements of solids, *JOM*, June, 1971, 282
- Aitken, D. W. and Woo, E.: Future of silicon X-ray detectors, *STP* 485
- Alkyd resins, quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy (Ages and Bowen), *JOM*, Dec., 1971, 766
- Allen, F. C.: Effect of thickness on the fracture toughness of 7075 aluminum in the T6 and T73 conditions, *STP* 486
- Alpha irradiation, effects of helium on the high-temperature ductility of sandvik 12R72HV and inco IN-744X (Kramer, Garr, Rhodes, and Pard), *STP* 484
- Aluminum, failure analysis of a bonded honeycomb structure: a case study employing SEM (Bailey), *STP* 493
- Aluminum alloys
apparent lowering of creep rupture life by frequent beam leveling (Voorhees), *STP* 488
approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading (Brussat), *STP* 486
ballistic damage characteristics and damage tolerance of wing structural elements (Jensen), *STP* 486
correlation of fracture toughness, K_{Ic} , with fractographically derived plastic stretched zone width—a report of ASTM E-24/II task group (Brothers, Hill, Parker, Spitzig, Wiebe, and Wolff), *STP* 493
creep rupture testing of aluminum alloys to 100,000 hours (Wilson, Freeman, and Voorhees), *JOM*, Dec., 1971, 981
dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP* 486
effect of strain rate on yield strength, tensile strength, and elongation of three aluminum
- Adhesives
effect of radiation on some mechanical properties of an epoxy system (Tilmans and Krokosky), *JOM*, June, 1971, 465
effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhiints (Tilmans and Krokosky), *JOM*, June, 1971, 483
test to determine the corrosion resistance of adhesive-primer systems (Croke, Krupp, Robinson, and McCurdy), *MR&S*, Jan., 1971, 19
- Ages, D. T. and Bowen, B. C.: Quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy, *JOM*, Dec., 1971, 766
- Aging (metallurgy)
effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), *JOM*, Dec., 1971, 911
influence of alloy additions on quenched and aged high strength nickel steels (DePaul), *JOM*, Dec., 1971, 965
- Air pollution
automotive emission research—review of the coordinating research council program (Moser), *STP* 487
effect of gasoline characteristics on automotive exhaust emissions (Doelling, Gerber, and Walsh), *STP* 487
evaporative emissions—which volatility factors count? (Hurn), *STP* 487
gasoline characteristics and air conservation—a review of API engine fuels studies (Burtner), *STP* 487
influence of vehicle emission control systems on the relationship between gasoline and vehicle exhaust hydrocarbon composition (Morris and Dishart), *STP* 487
minimizing exhaust emissions—a realistic approach (Faust and Sterba), *STP* 487
- Aircraft, test to determine the corrosion resistance of adhesive-primer systems (Croke, Krupp, Robinson, and McCurdy), *MR&S*, Jan., 1971, 19
- Aircraft jet engines, field practices in the repair of fatigue damaged jet engine components (Popp, Wilbers, and Erdeman), *STP* 495
- Aircraft panels
approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading (Brussat), *STP* 486
ballistic damage characteristics and damage tolerance of wing structural elements (Jensen), *STP* 486
effect of thickness on the fracture toughness of 7075 aluminum in the T6 and T73 conditions (Allen), *STP* 486

(continued on page 57)

Combined Index to ASTM Technical Papers and Reports—1971

This is an index to all papers published by ASTM during 1971 in *MR&S*, in the *Journal of Materials*, and in *Special Technical Publications*. The following abbreviations were used. See *MR&S News Index* on page 74.

MR&S—Materials Research and Standards

JOM—Journal of Materials

STP—Special Technical Publications

A

- Abrasion resistance, gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590
- Acoustic analysis, magnetostriction transducers for acoustic emission, impulse, vibration, and noise analysis (Lynnworth and Bradshaw), *MR&S*, March, 1971, 33
- Acoustic detection
acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
acoustic emission testing and microfracture processes (Tetelman), *MR&S*, March, 1971, 13
assessment of structural integrity by acoustic emission (Hutton and Parry), *MR&S*, March, 1971, 25
dislocation mechanisms as possible sources of acoustic emission (Gillis), *MR&S*, March, 1971, 11
experimental considerations for acoustic emission testing (Tatro), *MR&S*, March, 1971, 17
factors affecting acoustic emission response from materials (Dunegan and Green), *MR&S*, March, 1971, 21
- Acoustic detection, see Acoustic emission
- Acoustic measurements
acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
acoustic emission simulation test set (Fowler), *MR&S*, March, 1971, 35
recent developments in acoustical imaging (Brenden), *MR&S*, Sept., 1971, 16
- Acquaviva, S. J.: Drop weight test for the impact strength of ceramic materials, *MR&S*, Oct., 1971, 21
- Adams, J. I.
and Radhakrishna, H. S.: Loss of strength due to sampling in a glacial lake deposit, *STP* 483
see Lo, K. Y., Seychuk, J. L., and Adams, J. I.
- Adams, N. J.: Influence of curvature on stress intensity at the tip of a circumferential crack in a cylindrical shell, *STP* 486
- Adepegba, Dotun: Test for validity of indirect tension tests of stabilized soils, *JOM*, Sept., 1971, 555
- Adhesive bonding
failure analysis of a bonded honeycomb structure: a case study employing SEM (Bailey), *STP* 493
material toughness and residual strength of damage tolerant aircraft structures (Liu and Ekval), *STP* 486
evaluation and prediction of the residual strength of center cracked tension panels (Feddersen), *STP* 486
development of the fail-safe design features of the DC-10 (Swift), *STP* 486
fatigue crack propagation in stiffened panels (Poe), *STP* 486
material toughness and residual strength of damage tolerant aircraft structures (Liu and Ekval), *STP* 486
- Aircraft rotary wings, crack propagation in helicopter rotor blades (Rich), *STP* 486
- Aircraft wings, initiation and growth of fatigue cracks in and residual strength of the F-100 wing (Graziano and Fitch), *STP* 486
- Aitcin, P. C.: Density and porosity measurements of solids, *JOM*, June, 1971, 282
- Aitken, D. W. and Woo, E.: Future of silicon X-ray detectors, *STP* 485
- Alkyd resins, quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy (Ages and Bowen), *JOM*, Dec., 1971, 766
- Allen, F. C.: Effect of thickness on the fracture toughness of 7075 aluminum in the T6 and T73 conditions, *STP* 486
- Alpha irradiation, effects of helium on the high-temperature ductility of sandvik 12R72HV and inco IN-744X (Kramer, Garr, Rhodes, and Pard), *STP* 484
- Aluminum, failure analysis of a bonded honeycomb structure: a case study employing SEM (Bailey), *STP* 493
- Aluminum alloys
apparent lowering of creep rupture life by frequent beam leveling (Voorhees), *STP* 488
approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading (Brussat), *STP* 486
ballistic damage characteristics and damage tolerance of wing structural elements (Jensen), *STP* 486
correlation of fracture toughness, K_{Ic} , with fractographically derived plastic stretched zone width—a report of ASTM E-24/II task group (Brothers, Hill, Parker, Spitzig, Wiebe, and Wolff), *STP* 493
creep rupture testing of aluminum alloys to 100,000 hours (Wilson, Freeman, and Voorhees), *JOM*, Dec., 1971, 981
dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP* 486
effect of strain rate on yield strength, tensile strength, and elongation of three aluminum
- Adhesives
effect of radiation on some mechanical properties of an epoxy system (Tilmans and Krokosky), *JOM*, June, 1971, 465
effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhiints (Tilmans and Krokosky), *JOM*, June, 1971, 483
test to determine the corrosion resistance of adhesive-primer systems (Croke, Krupp, Robinson, and McCurdy), *MR&S*, Jan., 1971, 19
- Ages, D. T. and Bowen, B. C.: Quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy, *JOM*, Dec., 1971, 766
- Aging (metallurgy)
effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), *JOM*, Dec., 1971, 911
influence of alloy additions on quenched and aged high strength nickel steels (DePaul), *JOM*, Dec., 1971, 965
- Air pollution
automotive emission research—review of the coordinating research council program (Moser), *STP* 487
effect of gasoline characteristics on automotive exhaust emissions (Doelling, Gerber, and Walsh), *STP* 487
evaporative emissions—which volatility factors count? (Hurn), *STP* 487
gasoline characteristics and air conservation—a review of API engine fuels studies (Burtner), *STP* 487
influence of vehicle emission control systems on the relationship between gasoline and vehicle exhaust hydrocarbon composition (Morris and Dishart), *STP* 487
minimizing exhaust emissions—a realistic approach (Faust and Sterba), *STP* 487
- Aircraft, test to determine the corrosion resistance of adhesive-primer systems (Croke, Krupp, Robinson, and McCurdy), *MR&S*, Jan., 1971, 19
- Aircraft jet engines, field practices in the repair of fatigue damaged jet engine components (Popp, Wilbers, and Erdeman), *STP* 495
- Aircraft panels
approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading (Brussat), *STP* 486
ballistic damage characteristics and damage tolerance of wing structural elements (Jensen), *STP* 486
effect of thickness on the fracture toughness of 7075 aluminum in the T6 and T73 conditions (Allen), *STP* 486

(continued on page 57)

Combined Index


(continued from page 50)

alloys (Lindholm, Bessey, and Smith), *JOM*, March, 1971, 119
 effect of thickness on the fracture toughness of 7075 aluminum in the T6 and T73 conditions (Allen), *STP 486*
 fatigue crack propagation in stiffened panels (Poe), *STP 486*
 fracture of thin sections containing through and part-through cracks (Orange, Sullivan, and Calfo), *STP 496*
 influence of curvature on stress intensity at the tip of a circumferential crack in a cylindrical shell (Adams), *STP 486*
 influence of specimen design in plane strain fracture toughness testing (Hall), *STP 496*
 initiation and growth of fatigue cracks in and residual strength of the F-100 wing (Graziano and Fitch), *STP 486*
 material toughness and residual strength of damage tolerant aircraft structures (Liu and Ekvall), *STP 486*
 microfractographic features of stretched zone in an aluminum alloy fracture toughness specimen (Wolff), *STP 493*
 new data on the moduli of elasticity of aluminum alloys (Kaufman, Brownhill, Davies, and Babilon), *JOM*, Dec., 1971, 1001
 plane strain fracture toughness of aluminum alloys at room and subzero temperatures (Nelson and Kaufman), *STP 496*
 plane strain fracture toughness of some cryogenic materials at room and subzero temperatures (Vishnevsky and Steigerwald), *STP 496*

quantitative transmission electron microscopy of bubbles in Al and Al-Al₂O₃ alloys (Ruedl), *STP 484*
 significance of fatigue crack closure (Elber), *STP 486*
 test to determine the corrosion resistance of adhesive-primer systems (Croke, Krupp, Robinson, and McCurdy), *MR&S*, Jan., 1971, 19
 Antitrust, rewards of competitive alternatives (McLaren), *MR&S*, Aug., 1971, 16
 API Research Project 44, physical constants of hydrocarbons C₁ to C₁₀ ASTM Data Series Publication DS 4A
 Arndt, O. H.: Hydraulic oil cleanliness: a key to N/C machine maintenance, *STP 491*
 Arni, H. T.: Significance of the correlation coefficient for analyzing engineering data, *MR&S*, May, 1971, 16
 Aromatic hydrocarbons
 molecular formula list of compounds, names and references to published infrared spectra, 14th supplement, *AMD 31-S14*
 serial number list of compound names and references to published infrared spectra, 14th supplement, *AMD 32-S14*
 Artificial heart, and its design—a stringent materials evaluation problem (Ringler and Hegyeli), *MR&S*, July, 1971, 21
 Asphalts, new method for determining softening points of pitches, asphalts, and similar materials (McHenry), *JOM*, March, 1971, 30
 ASTM Committee D-2, physical constants of Hydrocarbons C₁ to C₁₀, ASTM Data Series Publication DS 4A
 Atmosphere contamination control, see Air pollution


Atomic structure, Auger electron spectroscopy (Connell and Gupta), *MR&S*, Jan., 1971, 8
 Austenitizing, properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), *JOM*, Sept., 1971, 738
 Automatic control, controlling the materials test by computer (Skoe and Matson), *MR&S*, Feb., 1971, 8
 Automation, systems approach to laboratory automation (Frazer), *MR&S*, Feb., 1971, 36
 Automobile tires, road surface texture (Ludema), *MR&S*, Oct., 1971, 13
 Automotive engine oils, multicylinder test sequences for evaluating automotive engine oils (ASTM Committee D-2), *STP 315E*
 Automotive fuels
 automotive emission research—review of the coordinating research council program (Moser), *STP 487*
 effect of gasoline characteristics on automotive exhaust emissions (Doelling, Gerber, and Walsh), *STP 487*
 evaporative emissions—which volatility factors count? (Hurn), *STP 487*
 fuel technology now requires uniform GLC analytical procedures (Hurn), *STP 487*
 IIEC program—a progress report (Osterhout, Jagel, and Koehl), *STP 487*
 influence of vehicle emission control systems on the relationship between gasoline and vehicle exhaust hydrocarbon composition (Morris and Dishart), *STP 487*
 minimizing exhaust emissions—a realistic approach (Faust and Sterba), *STP 487*

(continued on page 58)




INTRODUCES THE TESTING TREND FOR THE '70s

The TMI "400" Sensing System consists of a combination of capabilities developed over many years and proven in the field. The latest solid state electronic design—continuously under review for the introduction of new technology—with TMI's over fifty years experience in presenting physical testing equipment—offers a combination worthy of your careful consideration. This system can be presented with innumerable options. Outlined below are the basic capabilities.



The diagram illustrates the TMI "400" Sensing System. At the center is a circle labeled "'400' SENSING SYSTEM". Radiating from this center are lines connecting to various testing capabilities at the top and data processing/output options at the bottom. The top row includes: Fatigue Testers, Compression Testers, Slip & Friction Testers, Universal Rheological Testers, Deflection Testers, Thickness Testers, Burst Testers, Moisture Testers, Impact Testers, and Crush Testers. The left side lists options: AUTO. CYCLE, AUTO. STACKING, HIGH & LOW TEMP., and PHOTOGRAPHIC RECORDER. The right side lists options: AUTO. SAMPLE FEED, METRIC READOUT, OVER & UNDER READING, and AUTO. AVERAGE. The bottom row includes: OSCILLOSCOPE, DIGITAL DISPLAY, ANALOG RECORDER, PROCESS CONTROL, COMPUTER, BCD OUTPUT, TAPE PUNCH, and PRINTER.

The above system offers your Technical Department the ability to perform physical tests in a more meaningful form for visual analysis and future processing with increased speed and less personnel. Our Engineering Department is ready to help you join the Testing Trend of the 70's.



TESTING MACHINES INC.

The Finest Test Equipment for all Industries

400 BAYVIEW AVE. AMITYVILLE, L.I., N.Y. 11701
 Phone: (516) 842-5400

(continued from page 57)

B

- Babilon, C. F.: see Kaufman, J. G., Brownhill, D. J., Davies, R. E., and Babilon, C. F.
- Bailey, C. D.: Failure analysis of a bonded honeycomb structure: a case study employing SEM, *STP* 493
- Banerjee, B. R.: see Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.
- Baranowski, L. B.: Maintenance of cleanliness of hydraulic fluids and systems, *STP* 491
- Barker, R. W.: see Lovell, A. J. and Barker, R. W.
- Barnett, A. M.: see Orchard, D. F. and Barnett, A. M.
- Baroch, C. J.
- Munim, A. V., and Harbinson, E. N.: Effects of irradiation in a thermal reactor on the tensile properties of Zircaloy 2 and 4 and borated stainless steel, *STP* 484
- see Lowe, A. L., Jr., and Baroch, C. J.
- Barton, P. J. and Higgins, P. R. B.: Some observations on the structure and tensile properties of AISI type 316 steel as a function of fast reactor irradiation temperature, *STP* 484
- Barton, J. R. and Kusenberger, F. N.: Fatigue damage detection, *STP* 495
- Barson, J. M.: Dependence of fatigue crack propagation on strain energy release rate and crack opening displacement, *STP* 486
- Bartosic, A. J.: see Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.
- Bauer, A. A.: see Kangilaski, M., Spretnak, J. W., Bauer, A. A., and Wullaert, R. A.
- Bazergui, A.: see Thang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.
- Beachem, C. D., Kies, J. A., and Brown, B. F.: Constant K specimen for stress corrosion cracking tests, *MR&S*, April, 1971, 30
- Beaman, D. R. and Isasi, J. A.: Electron beam microanalysis, part I, *MR&S*, Nov., 1971, 8, part II, Dec., 1971, 12
- Bearing strength, alternate method for deriving the bearing strength of plastics (ASTM D 953-54) (Padawer), *MR&S*, Jan., 1971, 18
- Bearing tests, load movement behavior of long piles (Hanna and Tan), *JOM*, Sept., 1971, 532
- Beeler, J. R., Jr., and Yoshikawa, H. H.: Computer experiments in nuclear materials technology, *MR&S*, Feb., 1971, 29
- Beerbower, A.: see Marlow, D. A. and Beerbower, A.
- Beeston, J. M.
- and Brinkman, C. R.: Axial fatigue of irradiated stainless steels tested at elevated temperatures, *STP* 484
- see Brinkman, C. R. and Beeston, J. M.
- Bell, L. E., English, W. D., Shuck, K. K., Pohl, S. W., and Tiner, N. A.: Moisture sensitivity tester for liquid propellant-structural materials systems, *MR&S*, June, 1971, 16
- Bender, S. L. and Duff, R. H.: Energy dispersion X-ray analysis with the transmission electron microscope, *STP* 485
- Bending
- axiality measurements on fifty creep machines (Schmieder and Henry), *STP* 488
- measuring the apparatus contribution to bending in tension specimens (Schmieder), *STP* 488
- Benedyk, J. C., Stawarz, D., and Parikh, N. M.: Method for increasing elongation values for ferrous and nonferrous sheet metals, *JOM*, March, 1971, 16
- Ben-Shalom, Asher: see Kassiff, Gabriel and Ben-Shalom, Asher
- Berg, C. A., Melton, R., Kainin, I., and Dunn, T.: Fracture in the grip section of fiber reinforced, reduced cross section tension specimens, *JOM*, Sept., 1971, 683
- Beryllium, structure property relations in beryllium sheet (Cooke, Damiano, London, Conrad, and Banerjee), *JOM*, June, 1971, 403
- Bessey, R. L.: see Lindholm, U. S., Bessey, R. L., and Smith, G. V.
- Biaxial stresses, biaxial stress-strain behavior of fabrics for air supported tents (Skelton), *JOM*, Sept., 1971, 656
- Biehler, D.: see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Faller, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.

- Biron, A.: see Thang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.
- Blackstone, W. R. and Ku, P. M.: Assessment of impact test techniques for determining the fire or explosion hazards of materials exposed to liquid oxygen, *MR&S*, June, 1971, 30
- Bloom, E. E. and Stiegler, J. O.: Effect of fast neutron irradiation on the creep rupture properties of type 304 stainless steel at 600 C, *STP* 484
- Bohm, H.: see Ehrlich, K., Bohm, H., and Wassilew, C.
- Bohn, J. R.: see Roszhart, R. V., Pearson, D. J., and Bohn, J. R.
- Bolling, N. B.: see Browne, F. P. and Bolling, N. B.
- Bolting, measuring stress relaxation by a compliance method (Manjoine), *JOM*, June, 1971, 253
- Bones, torsional properties of equine metacarpus (Bynum, Ray, Ledbetter, and Boyd), *JOM*, March, 1971, 234
- Borik, F.
- and Scholz, W. G.: Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear, *JOM*, Sept., 1971, 590
- and Sponseller, D. L.: Gouging abrasion test for materials used in ore and rock crushing: part I—description of the test, *JOM*, Sept., 1971, 576
- Borings (marine), performance study of soil sampler for deep-penetration marine borings (Emrich), *STP* 483
- Bowen, B. C.: see Ages, D. T. and Bowen, B. C.
- Boyd, C. L.: see Bynum, D. R., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.
- Bozozuk, M.: Effect of sampling, size, and storage on test results for marine clay, *STP* 483
- Bradshaw, J. E.: see Lynnnworth, L. C. and Bradshaw, J. E.
- Brady, C. H.: see Ogburn, Fielding, Shives, T. R., and Brady, C. H.
- Brenden, B. B.: Recent developments in acoustical imaging, *MR&S*, Sept., 1971, 16
- Bricks, relation of unrestrained compressive strength of brick to strength of masonry (Watstein), *JOM*, June, 1971, 304
- Brinkman, C. R.
- and Beeston, J. M.: Effect of hydrogen on the ductile properties of irradiated pressure vessel steels, *STP* 484
- see Beeston, J. M. and Brinkman, C. R.
- Brittleness
- comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), *JOM*, March, 1971, 48
- drop weight test for the impact strength of ceramic materials (Acquaviva), *MR&S*, Oct., 1971, 21
- influence of platen friction on the fracture of brittle materials (Farrar), *JOM*, Dec., 1971, 889
- measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), *JOM*, March, 1971, 39
- Brooke, Morris R.: Editorial note, *MR&S*, April, 1971, 14
- Brothers, A. J., Hill, M., Parker, M. T., Spitzig, W. A., Wiebe, W., and Wolff, U. E.: Correlation of fracture toughness, K_{Ic} , with fractographically derived plastic stretched zone width—a report of ASTM E-24/II task group, *STP* 493
- Brown, B. F.: see Beachem, C. D., Kies, J. A., and Brown, B. F.
- Browne, F. P. and Bolling, N. B.: New technique for analysis of chlorides in mortar, *JOM*, Sept., 1971, 524
- Brownhill, D. J.: see Kaufman, J. G., Brownhill, D. J., Davies, R. E., and Babilon, C. F.
- Brussat, T. R.: Approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading, *STP* 486
- Bucher, J. H.: see Wilbur, G. A. and Bucher, J. H.
- Building codes, control of smoke in building fires—a state-of-the-art review (Yuill, Bartosic, Castino, Eickner, Gaskill, Pearce, Robertson, and Zabawsky), *MR&S*, April, 1971, 16
- Bullough, R. and Perrin, R. C.: Mechanism and kinetics of void growth during neutron irradiation, *STP* 484
- Burtner, R. E.: Gasoline characteristics and air conservation—a review of API engine fuels studies, *STP* 487
- Bynum, D. R., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.: Torsional properties of equine metacarpus, *JOM*, March, 1971, 234

C

- Calfo, F. D.: see Orange, T. W., Sullivan, T. L., and Calfo, F. D.
- Carbon, size and geometry of granular carbon aggregates (Kerns and Huffstutler), *JOM*, June, 1971, 295
- Carbon steels, correlation between the mechanical properties and microstructure of irradiated iron and low-carbon steel (Stefanovic and Milasin), *STP* 484
- Caren, R. P., Funai, A. I., Frye, W. E., and Sklensky, A. F.: Properties of infrared sensor materials, *MR&S*, June, 1971, 10
- Carette, G. G.: see Zoldners, N. G. and Carette, G. G.
- Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Faller, J., Johari, O., Morais, R., Parker, M. T., Sailors, R. H.: Correlation of microfractography and macrofractography of AISI 4340 steel—a report of ASTM E-24/II task group, *STP* 493
- Cast iron, gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590
- Castino, G. T.: see Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.
- Cavitation, application of electron fractography to the study of high-temperature cavitation in tungsten (Farrell and Stiegler), *STP* 493
- Cements
- accelerated strength determination on cement using miniature test cylinders (Zoldners and Carette), *JOM*, March, 1971, 82
- influence of washing on properties of standard Ottawa testing sand (Schatzlein and Reitz), *JOM*, March, 1971, 218
- physical aspects of the setting of portland cement concrete (Popovics), *JOM*, March, 1971, 150
- predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), *JOM*, March, 1971, 163
- relation between creep and creep recovery in cement paste (Jessop, Ward, and Neville), *JOM*, March, 1971, 188
- Ceramics
- comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), *JOM*, March, 1971, 48
- drop weight test for the impact strength of ceramic materials (Acquaviva), *MR&S*, Oct., 1971, 21
- intrinsic impact strength of ceramics: Charpy tests (Monack), *MR&S*, April, 1971, 24
- measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), *JOM*, March, 1971, 39
- Chemical analysis, electron beam microanalysis, part I (Beaman and Isasi), *MR&S*, Nov., 1971, 8, part II, Dec., 1971, 12
- Chin, G. Y.: see Hart, R. R., Chin, G. Y., and Wonsiewicz, B. C.
- Chlorides, new technique for analysis of chlorides in mortar (Browne and Bolling), *JOM*, Sept., 1971, 524
- Clark, A. F.
- see Deason, V. A., Clark, A. F., and Powell, R. L.
- see Hust, J. G. and Clark, A. F.
- Clark, W. G., Jr.: Effect of temperature and section size on fatigue crack growth in pressure vessel steel, *JOM*, March, 1971, 134
- Clays
- apparatus for measuring swell potential under controlled moisture intake (Kassiff and Ben-Shalom), *JOM*, March, 1971, 3
- comparative observations on the use of the pitcher sampler in stiff clay (Morgenstern and Thomson), *STP* 483
- effect of sampling and testing techniques on the shear strength of a glacial-lacustrine clay from Welland, Ontario (Conlon and Isaacs), *STP* 483
- effect of sampling on some soil characteristics (Milovic), *STP* 483
- lime stabilized clay foundation (Watt and Machibroda), *JOM*, June, 1971, 453
- performance study of soil sampler for deep-penetration marine borings (Emrich), *STP* 483
- practice of sampling soil and rock (Golder), *STP* 483
- representative sampling in location, quality, and size (Rowe), *STP* 483

study of the deformation characteristics of a stiff fissured clay (Lo, Seychuk, and Adams), *STP 483*

Clays (marine)
effect of sampling, size, and storage on test results for marine clay (Bozozuk), *STP 483*
sampler trials in overconsolidated sensitive clay (Eden), *STP 483*
sampling disturbance in Champlain clays (La Rochelle and Lefebvre), *STP 483*
uniformity of specimens of a compacted clay (Gau and Olson), *JOM*, Dec., 1971, 874

Cleanliness see Contamination

Coating processes, architectural considerations in plaza membrane waterproofing systems (Parise), *MR&S*, May, 1971, 19

Coatings, metal-metal oxide reactions (Starr), *JOM*, March, 1971, 105

Coffin, L. F., Jr.: Note on low cycle fatigue laws, *JOM*, June, 1971, 388

Cold working, critical cold work for age hardening in three commercial copper alloys (Hart, Chin, and Wonsiewicz), *JOM*, Dec., 1971, 1017

Color, difference and color tolerance evaluation problems and outlook (Friele), *JOM*, Dec., 1971, 755

Commercial laboratories, directory of testing laboratories, *STP 333B*

Compatibility, techniques for determination of flash and fire points and impact sensitivity of materials in a gaseous oxygen environment (Pippen and Stradling), *MR&S*, June, 1971, 35

Composites (fiber)
fiber reinforcements for structural composites (Ross), *MR&S*, May, 1971, 11
high performance fiber composites (Lovelace), *MR&S*, May, 1971, 8

Composites (whisker), fiber reinforcements for structural composites (Ross), *MR&S*, May, 1971, 11

Compressive strength
accelerated strength determination on cement using miniature test cylinders (Zoldners and Carrette), *JOM*, March, 1971, 82
relation of unrestrained compressive strength of brick to strength of masonry (Watstein), *JOM*, June, 1971, 304

Computerized laboratory systems, systems approach to laboratory automation (Frazer), *MR&S*, Feb., 1971, 36

Computerized simulation
computer based simulation of cyclic stress-strain behavior with applications to fatigue (Martin, Topper, and Sinclair), *MR&S*, Feb., 1971, 23
computer experiments in nuclear materials technology (Beeler and Yoshikawa), *MR&S*, Feb., 1971, 29

Computers
computer experiments in nuclear materials technology (Beeler and Yoshikawa), *MR&S*, Feb., 1971, 29
controlling the materials test by computer (Skoe and Matson), *MR&S*, Feb., 1971, 8
sensor based computers applied to the laboratory (Daniels and Opp), *MR&S*, Feb., 1971, 12
significance of the correlation coefficient for analyzing engineering data (Arni), *MR&S*, May, 1971, 16

Computers (analog)
mechanical testing of materials using an analog computer (Richards and Wetzel), *MR&S*, Feb., 1971, 19
role of multichannel analyzer in data handling (Williams), *STP 485*

Computers (digital)
computer based simulation of cyclic stress-strain behavior with applications to fatigue (Martin, Topper, and Sinclair), *MR&S*, Feb., 1971, 23
role of multichannel analyzer in data handling (Williams), *STP 485*

Computer systems, statistical interpretation of atmospheric and accelerated corrosion test results on stainless steel (Kemppinen), *MR&S*, Jan., 1971, 22

Concretes
electrocuring of concrete test specimens (Orchard and Barnett), *JOM*, Sept., 1971, 617
influence of platen friction on the fracture of brittle materials (Farrar), *JOM*, Dec., 1971, 889
new technique for analysis of chlorides in mortar (Browne and Bolling), *JOM*, Sept., 1971, 524
nuclear methods for determining the water content and unit weight of fresh concrete (Lepper and Rodgers), *JOM*, Dec., 1971, 826
physical aspects of the setting of portland cement concretes (Popovics), *JOM*, March, 1971, 150
predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), *JOM*, March, 1971, 163
water retention efficiency of membrane curing compounds (Leitch and Laycraft), *JOM*, Sept., 1971, 606

Condensation (atmospheric), developing a standard test for window condensation performance (Sasaki), *MR&S*, Oct., 1971, 17

Conlon, R. J. and Isaacs, R. M. F.: Effect of sampling and testing techniques on the shear strength of a glacial-lacustrine clay from Welland, Ontario, *STP 483*

(continued on page 60)

The Original KREBS Line

since 1926




STIRRERS STIRRERS STIRRERS

MANUFACTURERS OF THE HIGHEST STANDARDS
MODELS FROM 1/100 to 1/18 h.p.
Long life-fully guaranteed.

ITA-KREBS ELEC. MFG. CO.
19-21 Cain Dr. Plainview, NY 11803
Catalogs upon request

FOR FURTHER INFORMATION CIRCLE 2109 ON READER SERVICE CARD

DECEMBER 1971



With GALILEO units you get automatic selection of initial load. No fumbling in the back for weights because GALILEO puts them where they belong, inside the instrument. For accurate and fast selection simply turn a knob. Precision readings every time on a highly magnified optical projected scale. Rugged yet precise, GALILEO Hardness Testers are superior in performance and design.

The cost? 1/3 less than other testers with ancient method of selecting weights by hand!

Choose from: Rockwell Standard, Rockwell Superficial, Combination and Semi-Automatic Models and the NEW GALILEO Hardness Tester Model A-200/MP for Plastics.

A few units available for one-month FREE trial.

For literature and demonstration, write to:



GALILEO

CORPORATION OF AMERICA

150 Fifth Avenue, Pelham, N.Y. 10803 Tel. (914) 738-1154

FOR FURTHER INFORMATION CIRCLE 2110 ON READER SERVICE CARD

(continued from page 59)

Connell, G. L. and Gupta, Y. P.: Auger electron spectroscopy, *MR&S*, Jan., 1971, 8

Connolly, A.: see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Fallier, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.

Conrad, H.: see Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.

Construction materials, architectural considerations in plaza membrane waterproofing systems (Parise), *MR&S*, May, 1971, 19

Consumer standards making in the public interest (Heckman), *MR&S*, April, 1971, 12

truth in consumer labeling—an acceptance plan for leather and down pillows to ensure proper labeling (Landes), *MR&S*, April, 1971, 28

Contamination, characterization of high purity metals by the residual resistivity ratio (Deason, Clark, and Powell), *MR&S*, Aug., 1971, 25

Contamination control contribution of hydraulic fluids to system contamination (Kirnbauer), *STP* 491

fluid conditioning for servo systems (Coroneos), *STP* 491

hydraulic oil cleanliness: a key to N/C machine maintenance (Arndt), *STP* 491

improve system contamination control and increase system efficiency (Duncan), *STP* 491

maintenance of cleanliness of hydraulic fluids and systems (Baranowski), *STP* 491

requirements for an effective program in fluid contamination control (Fitch), *STP* 491

status report on the tech O/F-7 contamination methods program (Marlow and Beerbower), *STP* 491

Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.: Structure property relations in beryllium sheet, *JOM*, June, 1971, 403

Copper alloys critical cold work for age hardening in three commercial copper alloys (Hart, Chin, and Wonsiewicz), *JOM*, Dec., 1971, 1017

effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip (Fox), *JOM*, June, 1971, 422

Coroneos, J. N.: Fluid conditioning for servo systems, *STP* 491

Correlation, significance of the correlation coefficient for analyzing engineering data (Arni), *MR&S*, May, 1971, 16

Corrosion corrosion fatigue crack growth rate behavior above and below K_{Isc} in steels (Gallagher), *JOM*, Dec., 1971, 941

statistical interpretation of atmospheric and accelerated corrosion test results on stainless steel (Kemppinen), *MR&S*, Jan., 1971, 22

Corrosion fatigue, dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP* 486

Corrosion resistance, test to determine the corrosion resistance of adhesive-primer systems (Croke, Krupp, Robinson, and McCurdy), *MR&S*, Jan., 1971, 19

Coutsouradis, D. and Faurschou, D. K.: Preliminary report on the AFARD evaluation of variables affecting high temperature creep results, *STP* 488

Cox, T. B. and Rosenstein, A. H.: Properties and microstructure of 10Ni-2Cr-1Mo-8Co steel, *JOM*, Sept., 1971, 738

Crack propagation compliance method for crack growth studies at elevated temperatures (McHenry), *JOM*, Dec., 1971, 862

effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), *JOM*, March, 1971, 134

evaluation and prediction of the residual strength of center cracked tension panels (Feddersen), *STP* 486

fatigue crack propagation in stiffened panels (Poe), *STP* 486

Cracking (fracturing) acoustic emission testing and microfracture processes (Tetelman), *MR&S*, March, 1971, 13

approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading (Brussat), *STP* 486

constant K specimen for stress corrosion cracking tests (Beachem, Kies, and Brown), *MR&S*, April, 1971, 30

crack propagation in helicopter rotor blades (Rich), *STP* 486

dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP* 486

development of the fail-safe design features of the DC-10 (Swift), *STP* 486

effects of helium on the high-temperature ductility of sandvik 12R72HV and inco IN-744X (Kramer, Garr, Rhodes, and Pard), *STP* 484

effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), *JOM*, Dec., 1971, 911

fatigue crack propagation in stiffened panels (Poe), *STP* 486

fracture of thin sections containing through and part-through cracks (Orange, Sullivan, and Calfo), *STP* 496

influence of curvature on stress intensity at the tip of a circumferential crack in a cylindrical shell (Adams), *STP* 486

influence of specimen design in plane strain fracture toughness testing (Hall), *STP* 496

initiation and growth of fatigue cracks in and residual strength of the F-100 wing (Graziano and Fitch), *STP* 486

material toughness and residual strength of damage tolerant aircraft structures (Liu and Ekval), *STP* 486

significance of fatigue crack closure (Elber), *STP* 486

Crankcase oils, multicylinder test sequences for evaluating automotive engine oils (ASTM Committee D-2), *STP* 315E

Creep properties avoidance, control, and repair of fatigue damage (Manson), *STP* 495

axiality measurements on fifty creep machines (Schmieder and Henry), *STP* 488

creep rupture testing of aluminum alloys to 100,000 hours (Wilson, Freeman, and Voorhees), *JOM*, Dec., 1971, 981

fatigue mechanisms in the sub-creep range (Grosskreutz), *STP* 495

mechanisms of fatigue in the creep range (Wells, Sullivan, and Gell), *STP* 495

relation between creep and creep recovery in cement paste (Jessop, Ward, and Neville), *JOM*, March, 1971, 188

room temperature creep in Ti-6Al-4V (Reimann), *JOM*, Dec., 1971, 926

stress relaxation as a source of dimensional instability (Marschall and Maringer), *JOM*, June, 1971, 374

Creep rupture effect of fast neutron irradiation on the creep rupture properties of type 304 stainless steel at 600 C (Bloom and Stiegler), *STP* 484

influence of neutron irradiation on the creep rupture properties of a 16Cr-13Ni steel (Ehrlich, Bohm, and Wassilew), *STP* 484

uniaxial and biaxial creep rupture of type 316 stainless steel after fast reactor irradiation (Lovell and Barker), *STP* 484

Creep strength, supplemental report on the elevated temperature properties of chromium-molybdenum steels (an evaluation of 2 1/4Cr-1Mo steel) (Smith), *DS* 6S2

Creep tests apparent lowering of creep rupture life by frequent beam leveling (Voorhees), *STP* 488

creep rupture testing of aluminum alloys to 100,000 hours (Wilson, Freeman, and Voorhees), *JOM*, Dec., 1971, 981

effect of thermocouple drift on rupture life at high temperature (Voorhees), *STP* 488

method for extrapolating rupture ductility (Goldhoff), *STP* 488

preliminary report on the AGARD evaluation of variables affecting high temperature creep results (Coutsouradis and Faurschou), *STP* 488

Croke, D. R., Krupp, W. E., Robinson, W. C., Jr., and McCurdy, R. N.: Test to determine the corrosion resistance of adhesive-primer systems, *MR&S*, Jan., 1971, 19

Crushing, gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590

Cryogenics cryogenic testing methods and materials—the problem (Vance), *MR&S*, June, 1971, 8

influence of specimen design in plane strain fracture toughness testing (Hall), *STP* 496

irradiation effects at cryogenic temperature on

tensile properties of titanium and titanium-base alloys (Younger and Haley), *STP* 484

laboratory method for assessing homogeneity and interchangeability of thermocouple wires (Sparks and Powell), *MR&S*, Aug., 1971, 19

lorenz ratio as a tool for predicting the thermal conductivity of metals and alloys (Hust and Clark), *MR&S*, Aug., 1971, 22

low-noise cryogenic preamplifiers (Elad), *STP* 485

plane strain fracture toughness of aluminum alloys at room and subzero temperatures (Nelson and Kaufman), *STP* 496

plane strain fracture toughness of some cryogenic materials at room and subzero temperatures (Vishnevsky and Steigerwald), *STP* 496

properties of infrared sensor materials (Caren, Funai, Frye, and Sklensky), *MR&S*, June, 1971, 10

shock sensitivity tester for liquid propellant structural material systems (Bell, English, Murata, Pohl, and Tiner), *MR&S*, June, 1971, 16

Crystal dislocations, acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8

Crystal lattices, computer experiments in nuclear materials technology (Beeler and Yoshikawa), *MR&S*, Feb., 1971, 29

Crystal structure, electron beam microanalysis, part I (Beaman and Isasi), *MR&S*, Nov., 1971, 8, part II, Dec., 1971, 12

Curing electrocuring of concrete test specimens (Orchard and Barnett), *JOM*, Sept., 1971, 617

physical aspects of the setting of portland cement concrete (Popovics), *JOM*, March, 1971, 150

Cserjesi, A. J., Roff, J. W., and Warren, W. G.: Quality control of lumber fungicidal treatment: estimating number of samples, *MR&S*, Aug., 1971, 29

Cyclic loads approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading (Brussat), *STP* 486

crack propagation in helicopter rotor blades (Rich), *STP* 486

dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP* 486

effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), *JOM*, March, 1971, 134

fatigue mechanisms in the sub-creep range (Grosskreutz), *STP* 495

fatigue testing techniques for conditions of biaxial stress, stress concentration, and pure bending (Topper, Havard, Gowda, and Jhansale), *JOM*, Dec., 1971, 842

initiation and growth of fatigue cracks in and residual strength of the F-100 wing (Graziano and Fitch), *STP* 486

mechanical testing of materials using an analog computer (Richards and Wetzel), *MR&S*, Feb., 1971, 19

mechanisms of fatigue in the creep range (Wells, Sullivan, and Gell), *STP* 495

significance of fatigue crack closure (Elber), *STP* 486

Cylindrical shells, influence of curvature on stress intensity at the tip of a circumferential crack in a cylindrical shell (Adams), *STP* 486

D

Dahl, R. E., Jr.: see McElroy, W. N. and Dahl, R. E., Jr.

Damage, cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), *JOM*, Sept., 1971, 718

Damage tolerance, ballistic damage characteristics and damage tolerance of wing structural elements (Jensen), *STP* 486

Damiano, V. V.: see Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.

Daniels, D. A. and Opp, D. A.: Sensor based computers applied to the laboratory, *MR&S*, Feb., 1971, 12

Data, significance of the correlation coefficient for analyzing engineering data (Arni), *MR&S*, May, 1971, 16

Data acquisition

controlling the materials test by computer (Skoe and Matson), *MR&S*, Feb., 1971, 8
 sensor based computers applied to the laboratory (Daniels and Opp), *MR&S*, Feb., 1971, 12
 Data processing, statistical interpretation of atmospheric and accelerated corrosion test results on stainless steel (Kempainen), *MR&S*, Jan., 1971, 22
 Data (skewed test), transformations useful in the evaluation of exclusion limits in skewed test data (Warren), *MR&S*, May, 1971, 23
 Davies, R. E.: see Kaufman, J. G., Brownhill, D. J., Davies, R. E., and Babilon, C. F.
 Deason, V. A., Clark, A. F., and Powell, R. L.: Characterization of high purity metals by the residual resistivity ratio, *MR&S*, Aug., 1971, 25
 Deep drawing, method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), *JOM*, March, 1971, 16
 Deformation
 pulsed ruby holographic instrumentation for materials testing and research (Roszhart, Pearson, and Bohn), *MR&S*, Sept., 1971, 36
 structural measurements with holographic interferometry (Sampson), *MR&S*, Sept., 1971, 26
 DePaul, R. A.: Influence of alloy additions on quenched and aged high strength nickel steels, *JOM*, Dec., 1971, 965
 Dimensional stability, stress relaxation as a source of dimensional instability (Marschall and Maringer), *JOM*, June, 1971, 374
 Dishart, K. T.: see Morris, W. E. and Dishart, K. T.
 Dislocations (materials)
 dislocation mechanisms as possible sources of acoustic emission (Gillis), *MR&S*, March, 1971, 11
 mechanism and kinetics of void growth during neutron irradiation (Bullough and Perrin), *STP* 484
 Doelling, R. P., Gerber, A. F., and Walsh, M. P.: Effect of gasoline characteristics on automotive exhaust emissions, *STP* 487
 Dragen, R.: see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Faller, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.
 Dubuc, J.: see Tang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.
 Ductility
 apparent lowering of creep rupture life by frequent beam leveling (Voorhees), *STP* 488
 method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), *JOM*, March, 1971, 16
 Dudderar, R. D. and O'Regan, R.: Laser holography and interferometry in materials research, *MR&S*, Sept., 1971, 8
 Duff, R. H.: see Bender, S. L. and Duff, R. H.
 Duncan, A. J.:
 Comments on "A General Theory of Sampling," *MR&S*, Jan., 1971, 25
 see also Visman, J., *MR&S*, Nov., 1969
 Duncan, J. P.: Improve system contamination control and increase system efficiency, *STP* 491
 Dunegan, H. L. and Green A. T.: Factors affecting acoustic emission response from materials, *MR&S*, March, 1971, 21
 Dunn, T.: see Berg, C. A., Melton, R., Kalnin, I., and Dunn, T.
 Dynamic, determination of load errors in universal testing machines due to speed of testing (Robinson), *MR&S* Jan., 1971, 14
 Dynamic tests
 laser holography and interferometry in materials research (Dudderar and O'Regan), *MR&S*, Sept., 1971, 8
 mechanical behavior of flexible polyurethane foams under high rate loading (Rao and Hofer), *JOM*, Sept., 1971, 704

E

Eddy current tests, characterization of high purity metals by the residual resistivity ratio (Deason, Clark, and Powell), *MR&S*, Aug., 1971, 25
 Eden, W. J.
 Panel discussion on sampling of sensitive clay, *STP* 483
 Sampler trials in overconsolidated sensitive clay, *STP* 483
 Ehrlich, K., Bohm, H., and Wassilew, C.: Influence of neutron irradiation on the creep rupture properties of a 16Cr-13Ni steel, *STP* 484

Eickner, H. W.: see Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.
 Ekvall, J. C.: see Lui, A. F. and Ekvall, J. C.
 Elad, Emanuel: Low-noise cryogenic preamplifiers, *STP* 485
 Elastic properties
 determination of the elastic modulus of soil by the pressure meter test—theoretical background (Livneh, Gellert, and Uzan), *JOM*, June, 1971, 348
 effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip (Fox), *JOM*, June, 1971, 422
 measuring stress relaxation by a compliance method (Manjoine), *JOM*, June, 1971, 253
 measuring the apparatus contribution to bending in tension specimens (Schmieder), *STP* 488
 Elasticity (modulus of), new data on the moduli of elasticity of aluminum alloys (Kaufman, Brownhill, Davies, and Babilon), *JOM*, Dec., 1971, 1001
 Elber, Wolf: Significance of fatigue crack closure, *STP* 485
 Electric contacts, evaluation techniques for the friction behavior of gold sliding contacts operating in high-purity environments (Kissel, Jentgen, and Glaeser), *MR&S*, May, 1971, 26
 Electric heating elements, metal-metal oxide reactions (Starr), *JOM*, March, 1971, 105
 Electromagnetic interference, holographic photoelasticity: the modernization of an old tool (Fourney), *MR&S*, Sept., 1971, 22
 Electron diffraction, Auger electron spectroscopy (Connell and Gupta), *MR&S*, Jan., 1971, 8
 Electron microscopes, structure property relations in beryllium sheet (Cooke, Damiano, London, Conrad, and Banerjee), *JOM*, June, 1971, 403
 Electron microscopy
 electron beam microanalysis part I (Beaman and Isasi), *MR&S*, Nov., 1971, 8, part II, Dec., 1971, 12
 electron fractography of high temperature, high strain rate fracture (Wilbur and Bucher), *STP* 493
 failure analysis of a bonded honeycomb structure; a case study employing SEM (Bailey), *STP* 493
 quantitative transmission electron microscopy of bubbles in Al and Al-Al₂O₃ alloys (Ruedl), *STP* 484
 Electron probes
 electron beam microanalysis part I (Beaman and Isasi), *MR&S*, Nov., 1971, 8, part II, Dec., 1971, 12
 energy dispersion X-ray analysis on the scanning electron microscope (Russ), *STP* 485
 energy dispersion X-ray analysis with electron and isotope excitation (Sandborg), *STP* 485
 rapid quantitative electron probe microanalysis with a nondiffractive detector system (Myklebust and Heinrich), *STP* 485
 role of the gas flow proportional counter in energy dispersive analysis (Sutfin and Ogilvie), *STP* 485
 solid-state X-ray detectors for electron microprobe analysis (Lifshin), *STP* 485
 X-ray energy spectrometry in the 0.1 to 10 Å range (Fitzgerald and Gantzel), *STP* 485
 Elevated temperature, supplemental report on the elevated temperature properties of chromium-molybdenum steels (an evaluation of 2½Cr-1Mo steel) (Smith), *DS* 6S2
 Embrittlement
 axial fatigue of irradiated stainless steels tested at elevated temperatures (Beeston and Brinkman), *STP* 484
 demonstration of improved radiation embrittlement resistance of A533B steel through control of selected residual elements (Hawthorne), *STP* 484
 neutron irradiation effects on iron containing aluminum and nitrogen (Igata, Hasiguti, Yagi, Nishiike, and Watanabe), *STP* 484
 Emrich, W. J.: Performance study of soil sampler for deep-penetration marine borings, *STP* 483
 English, W. D.: see Bell, L. E., English, W. D., Murata, K. K., Pohl, S. W., and Tiner, N. A.
 Epoxy laminates, effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhesives (Tilman and Krokosky), *JOM*, June, 1971, 483

(continued on page 62)

finest for fines

Model 8



GILSON sieve shakers



Model 12

- Operates on bench or floor. No permanent mounting necessary.
- Closely simulates the motion of hand sieving.
- Built-in timer and speed control.
- Platform accessible from all sides.
- Clean-cut design.
- Modest price.

Model 8 for 8" round sieves.
 Model 12, for 12" round sieves,
 comes with adaptor for occasional
 use of 8" sieves.

Write or phone for literature
 Phone (419) 256-7711

Name _____
 Title _____
 Company _____
 Address _____
 City _____
 State _____ Zip _____

GILSON
 SCREEN COMPANY
 P.O. BOX 99 • MALINTA, OHIO 43535

CIRCLE 2111 ON READER SERVICE CARD

(continued from page 61)

Erdeman, V. J.: see Popp, H. G., Wilbers, L. G., and Erdeman, V. J.
Errors, determination of load errors in universal testing machines due to speed of testing (Robinson), *MR&S*, Jan., 1971, 14
Exhaust emission
evaporative emissions—what volatility factors count? (Hurn), *STP* 487
fuel technology now requires uniform GLC analytical procedures (Hurn), *STP* 487
IIEC program—a progress report (Osterhout, Jagel, and Koehl), *STP* 487
influence of vehicle emission control systems on the relationship between gasoline and vehicle exhaust hydrocarbon composition (Morris and Dishart), *STP* 487
gasoline characteristics and air conservation—a review of API engine fuels studies (Burner), *STP* 487
minimizing exhaust emissions—a realistic approach (Faust and Sterba), *STP* 487
Extensometers, wire extensometer for determining the mechanical properties of fine wires (Hart), *MR&S*, April, 1971, 26

F

Fabrics, biaxial stress-strain behavior of fabrics for air supported tents (Skelton), *JOM*, Sept., 1971, 656
Failure, acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
Faller, J.: see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Faller, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.
Farrar, N. S.: Influence of platen friction on the fracture of brittle materials, *JOM*, Dec., 1971, 889
Farrell, K. and Stiegler, J. O.: Application of electron fractography to the study of high-temperature cavitation in tungsten, *STP* 493
Fast reactors (nuclear)
effect of irradiation on the mechanical properties of 19-9DL alloy (Lowe, Jr., and Baroch), *STP* 484
neutron fluence limit determinations for some fast flux test facility components (Moen, Tobin, and Thomas), *STP* 484
neutron dosimetry for fast reactor applications (McElroy and Dahl, Jr.), *STP* 484
some observations on the structure and tensile properties of AISI type 316 steel as a function of fast reactor irradiation temperature (Barton and Higgins), *STP* 484
uniaxial and biaxial creep rupture of type 316 stainless steel after fast reactor irradiation (Lovell and Barker), *STP* 484
Fatigue (materials)
approach to predicting the growth to failure of fatigue cracks subjected to arbitrary uniaxial cyclic loading (Brussat), *STP* 486
avoidance, control, and repair of fatigue damage (Manson), *STP* 495
axial fatigue of irradiated stainless steels tested at elevated temperatures (Beeston and Brinkman), *STP* 484
compliance method for crack growth studies at elevated temperatures (McHenry), *JOM*, Dec., 1971, 862
computer based simulation of cyclic stress-strain behavior with applications to fatigue (Martin, Topper, and Sinclair), *MR&S*, Feb., 1971, 23
corrosion fatigue crack growth rate behavior above and below K_{Isc} in steels (Gallagher), *JOM*, Dec., 1971, 941
cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), *JOM*, Sept., 1971, 718
dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP* 486
development of the fail-safe design features of the DC-10 (Swift), *STP* 486
effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), *JOM*, March, 1971, 134
evaluation and prediction of the residual strength of center cracked tension panels (Feddersen), *STP* 486
fatigue crack propagation in stiffened panels

(Poe), *STP* 486
fatigue damage detection (Barton and Kusenberg), *STP* 495
fatigue mechanisms in the sub-creep range (Grosskreutz), *STP* 495
fatigue properties of copper bearing steels (Le May), *JOM*, June, 1971, 436
fatigue testing techniques for conditions of bi-axial stress, stress concentration, and pure bending (Topper, Havard, Gowda, and Jhansale), *JOM*, Dec., 1971, 842
field practices in the repair of fatigue damaged jet engine components (Popp, Wilbers, and Erdeman), *STP* 495
influence of curvature on stress intensity at the tip of a circumferential crack in a cylindrical shell (Adams), *STP* 486
initiation and growth of fatigue cracks in and residual strength of the F-100 wing (Graziano and Fitch), *STP* 486
laser holography and interferometry in materials research (Dudderar and O'Regan), *MR&S*, Sept., 1971, 8
material toughness and residual strength of damage tolerant aircraft structures (Liu and Ekvall), *STP* 486
mechanical testing of materials using an analog computer (Richards and Wetzel), *MR&S*, Feb., 1971, 19
mechanisms of fatigue in the creep range (Wells, Sullivan, and Gell), *STP* 495
note on low cycle fatigue laws (Coffin), *JOM*, June, 1971, 388
plane strain fracture toughness of aluminum alloys at room and subzero temperatures (Nelson and Kaufman), *STP* 496
significance of fatigue crack closure (Elber), *STP* 486
Faurischou, D. K.: see Coutouradis, D. and Faurischou, D. K.
Faust, W. J. and Sterba, M. J.: Minimizing exhaust emissions—a realistic approach, *STP* 487
Feathers, truth in consumer labeling—an acceptance plan for feather and down pillows to ensure proper labeling (Landes), *MR&S*, April, 1971, 28
Feddersen, C. E.: Evaluation and prediction of the residual strength of center cracked tension panels, *STP* 486
Felber, C. K. and Massialas, F. G.: Design features of holographic apparatus, *MR&S*, Sept., 1971, 19
Fiber composites, fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kainin, and Dunn), *JOM*, Sept., 1971, 683
Fibers, further considerations—the alimeter (Marechal), *JOM*, June, 1971, 332
Filtration, filtering—from the moon to the mines (Marsh), *STP* 491
Fire safety, control of smoke in building fires—a state-of-the-art review (Yuill, Bartosic, Castino, Eickner, Gaskill, Pearce, Robertson, and Zabawsky), *MR&S*, April, 1971, 16
Fitch, E. C., Jr.: Requirements for an effective program in fluid contamination control, *STP* 491
Fitch, G. E., Jr.: see Graziano, W. D. and Fitch, G. E., Jr.
Fitzgerald, R. and Gantzel, P.: X-ray energy spectrometry in the 0.1 to 10 Å range, *STP* 485
Flash point, techniques for determination of flash and fire points and impact sensitivity of materials in a gaseous oxygen environment (Pippen and Stradling), *MR&S*, June, 1971, 35
Flax, R. W., Keith, R. E., and Randall, M. D.: Welding the HY steels, *STP* 494
Flexural strength, comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), *JOM*, March, 1971, 48
Fly ash, predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), *JOM*, March, 1971, 163
Football, significant trends and complex barriers in the engineering of protective sports equipment (Hale), *MR&S*, Oct., 1971, 8
Forestry, quality control of lumber fungicidal treatment: estimating number of samples (Cserjesi, Roff, and Warren), *MR&S*, Aug., 1971, 29
Foundations
lime stabilized clay foundation (Watt and Machibroda), *JOM*, June, 1971, 453
study of the deformation characteristics of a stiff fissured clay (Lo, Seychuk, and Adams), *STP* 483
Fourney, M. E.: Holographic photoelasticity: the modernization of an old tool, *MR&S*, Sept.,

1971, 22

Fowler, K. A.: Acoustic emission simulation test set, *MR&S*, March, 1971, 35
Fox, Alfred: Effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip, *JOM*, June, 1971, 422
Fractography, see Fracture (materials)
Fractures (materials)
acoustic emission testing and microfracture processes (Tetelman), *MR&S*, March, 1971, 13
application of electron fractography to the study of high-temperature cavitation in tungsten (Farrell and Stiegler), *STP* 493
assessment of structural integrity by acoustic emission (Hutton and Parry), *MR&S*, March, 1971, 25
comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), *JOM*, March, 1971, 48
correlation of fracture toughness, K_{Ic} , with fractographically derived plastic stretched zone width—a report of ASTM E-24 II task group (Brothers, Hill, Parker, Spitzig, Wiebe, and Wolff), *STP* 493
correlation of microfractography and macrofractography of AISI 4340 steel—a report of ASTM E-24/II task group (Carr, Biehler, Connolly, Dragen, Faller, Johari, Morais, Parker, and Sailors), *STP* 493
effect of thickness on the fracture toughness of 7075 aluminum in the T6 and T73 conditions (Allen), *STP* 486
electron fractography of high temperature, high strain rate fracture (Wilbur and Bucher), *STP* 493
evaluation and prediction of the residual strength of center cracked tension panels (Feddersen), *STP* 486
failure analysis of a bonded honeycomb structure: a case study employing SEM (Bailey), *STP* 493
fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kainin, and Dunn), *JOM*, Sept., 1971, 683
hold-time effects in high-temperature low-cycle fatigue (Krempel and Wundt), *STP* 489
influence of platen friction on the fracture of brittle materials (Farrar), *JOM*, Dec., 1971, 889
influence of specimen design in plane strain fracture toughness testing (Hall), *STP* 496
intrinsic impact strength of ceramics: Charpy tests (Monack), *MR&S*, April, 1971, 24
measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), *JOM*, March, 1971, 39
microfractographic features of stretched zone in an aluminum alloy fracture toughness specimen, *STP* 493
plane strain fracture toughness of some cryogenic materials at room and subzero temperatures (Vishnevsky and Steigerwald), *STP* 496
Fracture tests
fracture of thin sections containing through and part-through cracks (Orange, Sullivan, and Calfo), *STP* 496
influence of specimen design in plane strain fracture toughness testing (Hall), *STP* 496
plane strain fracture toughness of aluminum alloys at room and subzero temperatures (Nelson and Kaufman), *STP* 496
Franklin, D. G.: see Li, Che-Yu, Franklin, D. G., and Harkness, S. D.
Frazer, J. W.: Systems approach to laboratory automation, *MR&S*, Feb., 1971, 36
Freeman, J. W.: see Wilson, D. J., Freeman, J. W., and Voorhees, H. R.
Freeston, W. D., Jr.: see Skelton, J. and Freeston, W. D., Jr.
Friction, sliding, evaluation techniques for the friction behavior of gold sliding contacts operating in high-purity environments (Kissel, Jentgen, and Glaeser), *MR&S*, May, 1971, 26
Friele, L. F. C.: Color difference and color tolerance evaluation problems and outlook, *JOM*, Dec., 1971, 755
Frye, W. E.: see Caren, R. P., Funai, A. I., Frye, W. E., and Sklensky, A. F.
Funai, A. I.: see Caren, R. P., Funai, A. I., Frye, W. E., and Sklensky, A. F.
Fungus proofing, quality control of lumber fungicidal treatment: estimating number of samples (Cserjesi, Roff, and Warren), *MR&S*, Aug., 1971, 29
Fujimura, T.: see Kawasaki, M., Fujimura, T., Suzuki, K., Namatame, H., and Kawasaki, Minoru

G

- Gallagher, J. P.: Corrosion fatigue crack growth rate behavior above and below K_{Isc} in steels, *JOM*, Dec., 1971, 941
- Gantzel, Peter: see Fitzgerald, Ray and Gantzel, Peter
- Garr, K. R.: see Kramer, D., Garr, K. R., Rhodes, C. G., and Pard, A. G.
- Gas chromatography, gas chromatographic data compilation, supplement I, *AMD 25A S1*
- Gas turbine engines, avoidance, control, and repair of fatigue damage (Manson), *STP 495*
- Gaskill, J. R.: see Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.
- Gasoline
automotive emission research—review of the coordinating research council program (Moser), *STP 487*
characteristics and air conservation—a review of API engine fuels studies (Burtner), *STP 487*
effect of gasoline characteristics on automotive exhaust emissions (Doelling, Gerber, and Walsh), *STP 487*
- Gau, F. L. and Olson, R. E.: Uniformity of specimens of a compacted clay, *JOM*, Dec., 1971, 874
- Gell, M.: see Wells, C. H., Sullivan, C. P., and Gell, M.
- Gellert, M.: see Livneh, M., Gellert, M., and Uzan, J.
- Gerber, A. F.: see Doelling, R. P., Gerber, A. F., and Walsh, M. P.
- Gilbert, The Honorable Carl J.: Standards as nontariff trade barriers, *MR&S*, April, 1971, 8
- Gillis, P. P.
Dislocation mechanisms as possible sources of acoustic emission, *MR&S*, March, 1971, 11
and Medrano, R. E.: Consistency criterion appli-

- cable to strain rate and stress relaxation tests, *JOM*, Sept., 1971, 514
- Glaeser, W. A.: see Kissel, J. W., Jentgen, R. L., and Glaeser, W. A.
- Gnaedinger, J. P.: Statistical study of variations in materials and compacted densities by sand-cone and nuclear methods, *JOM*, Dec., 1971, 818
- Gold coatings, evaluation techniques for the friction behavior of gold sliding contacts operating in high-purity environments (Kissel, Jentgen, and Glaeser), *MR&S*, May, 1971, 26
- Golder, H. Q.: Practice of sampling soil and rock, *STP 483*
- Goldhoff, R. M.: Method for extrapolating rupture ductility, *STP 488*
- Gouging abrasion test
for materials used in ore and rock crushing: part I—description of the test (Borik and Sponseller), *JOM*, Sept., 1971, 576
for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590
- Gowda, C. V. B.: see Topper, T. H., Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.
- Grain boundaries, acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
- Granular materials
density and porosity measurements of solids (Aitcin) *JOM*, June, 1971, 282
size and geometry of granular carbon aggregates (Kerns and Huffstutler), *JOM*, June, 1971, 295
Gravels practice of sampling soil and rock (Golder), *STP 483*
- Graziano, W. D. and Fitch, G. E., Jr.: Initiation and growth of fatigue cracks in and residual strength of the F-100 wing, *STP 486*

- Green, A. T.: see Dunegan, H. L. and Green, A. T.
- Grosskreutz, J. C.: Fatigue mechanisms in the sub-creep range, *STP 495*
- Grouts (chemical) use of chemical grouts to sample sands (Karol), *STP 483*
- Gupta, Y. P.: see Connell, G. L. and Gupta, Y. P.


H

- Hale, C. J.: Significant trends and complex barriers in the engineering of protective sports equipment, *MR&S*, Oct., 1971, 8
- Haley, F. A.: see Younger, C. L. and Haley, F. A.
- Hall, L. R.: Influence of specimen design in plane strain fracture toughness testing, *STP 496*
- Hanna, T. H. and Tan, R. H. S.: Load movement behavior of long piles, *JOM*, Sept., 1971, 532
- Harbinson, E. N.: see Barock, C. J., Munim, A. V., and Harbinson, E. N.
- Harbottle, J. E.: Temperature and neutron dose dependence of irradiation growth in Zircaloy 2, *STP 484*
- Hardening (precipitation)
critical cold work for age hardening in three commercial copper alloys (Hart, Chin, and Wonsiewicz), *JOM*, Dec., 1971, 1017
influence of alloy additions on quenched and aged high strength nickel steels (DePaul), *JOM*, Dec., 1971, 965
- Hardness conversion tables, for copper (Lysaght), *JOM*, Sept., 1971, 503
- Hardy, D. G.: Effect of neutron irradiation on the mechanical properties of zirconium alloy fuel cladding in uniaxial and biaxial tests, *STP 484*

(continued on page 64)


MINI MAX POLYMER EVALUATION SYSTEM


for
MIXING MOLDING TESTING



MOLDER


A miniature mixer, extruder and injection machine to produce from less than one gram samples the test specimens for the following property tests.





DYNAMIC TESTER

- Melt viscosity
- Melt elasticity
- Solid state dynamic modulus
- Solid state dynamic loss factor
- Melt relaxation behavior
- Fatigue behavior
(All as function of frequency, 3 decades and temperature, r.t. to 300°C)




TENSILE TESTER

- Young modulus
- Yield stress and strain
- Ultimate stress and strain
- Apparent elongational viscosity (melts)
- Stress relaxation modulus
(All as function of straining rate, 3 decades and temperature, r.t. to 300°C)

DEVELOPED TO OPERATE ON
Minimum Sample Quantity \approx 1 gram
WITH
Maximum Versatility
AT
MINIMUM INITIAL COST

CUSTOM SCIENTIFIC INSTRUMENTS, INC.
P.O. Box A WHIPPANY, NEW JERSEY 07981



TENSILE IMPACT TESTER

- Tensile impact energy
- Specimen-in-head
- Scale—3, 6 & 12 in lbs.

FOR FURTHER INFORMATION CIRCLE 2112 ON READER SERVICE CARD

(continued from page 63)

Harkness, S. D.: see Li, Che-Yu, Franklin, D. G., and Harkness, S. D.
 Harmonization, standards as nontariff trade barriers (Gilbert), *MR&S*, April, 1971, 8
 Harris, D. O.: see Liptai, R. G. and Harris, D. O.
 Hart, R. R.:
 Wire extensometer for determining the mechanical properties of fine wires, *MR&S*, April, 1971, 26
 Chin, G. Y., and Wonsiewicz, B. C.: Critical cold work for age hardening in three commercial copper alloys, *JOM*, Dec., 1971, 1017
 Hasiguti, R. R.: see Igata, N., Hasiguti, R. R., Yagi, E., Nishiike, U., and Watanabe, K.
 Havard, D. G.: see Topper, T. H., Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.
 Hawthorne, J. R.: Demonstration of improved radiation embrittlement resistance of A533B steel through control of selected residual elements, *STP 484*
 Hazardous products, rewards of competitive alternatives (McLaren), *MR&S*, Aug., 1971, 16
 Heckman, J. H.: Standards making in the public interest, *MR&S*, April, 1971, 12
 Hegyeli, R. J.: see Ringler, R. L. and Hegyeli, R. J.
 Heinrich, K. F. J.: see Myklebust, R. L. and Heinrich, K. F. J.
 Henry, A. T.: see Schmieder, A. K. and Henry, A. T.
 Higgins, P. R. B.: see Barton, P. J.
 High modulus fibers, high performance fiber composites (Lovelace), *MR&S*, May, 1971, 8
 High temperature tests
 interlaboratory program to evaluate present pyrometric practices in elevated temperature testing (Korns), *STP 488*
 preliminary report on the AGARD evaluation of variables affecting high temperature creep results (Coutsouradis and Faurschou), *STP 488*
 Hill, M.: see Brothers, A. J., Hill, M., Parker, M. T., Spitzig, W. A., Wiebe, W., and Wolff, U. E.
 Hofer, K. E.: see Rao, P. N. and Hofer, K. E.
 Holography
 design features of holographic apparatus (Felber and Massialas), *MR&S*, Sept., 1971, 19
 holographic contouring techniques applicable to mechanical testing (Varner), *MR&S*, Sept., 1971, 31
 holographic photoelasticity: the modernization of an old tool (Fourney), *MR&S*, Sept., 1971, 22
 laser holography and interferometry in materials research (Dudderar and O'Regan), *MR&S*, Sept., 1971, 8
 pulsed ruby holographic instrumentation for materials testing and research (Roszhart, Pearson, and Bohn), *MR&S*, Sept., 1971, 36
 recent developments in acoustical imaging (Brenden), *MR&S*, Sept., 1971, 16
 structural measurements with holographic interferometry (Sampson), *MR&S*, Sept., 1971, 26
 Honeycomb structures, failure analysis of a bonded honeycomb structure: a case study employing SEM (Bailey), *STP 493*
 Hosbons, R. R. and Wotton, B. L.: Effect of fast neutron irradiation on the mechanical properties of some quenched and tempered steels, *STP 484*
 Huffstutler, M. C., Jr.: see Kerns, B. T. and Huffstutler, M. C., Jr.
 Human tolerances, significant trends and complex barriers in the engineering of protective sports equipment (Hale), *MR&S*, Oct., 1971, 8
 Hurn, R. W.
 Evaporative emissions—which volatility factors count?, *STP 487*
 Fuel technology now requires uniform GLC analytical procedures, *STP 487*
 Hust, J. G. and Clark, A. F.: Lorenz ratio as a tool for predicting the thermal conductivity of metals and alloys, *MR&S*, Aug., 1971, 22
 Hutton, P. H. and Parry, D. L.: Assessment of structural integrity by acoustic emission, *MR&S*, March, 1971, 25
 Hydraulic fluids
 fluid conditioning for servo systems (Coroneos), *STP 491*
 improve system contamination control and increase system efficiency (Duncan), *STP 491*
 Hydraulic systems
 contribution of hydraulic fluids to system contamination (Kirnbauer), *STP 491*
 filtering—from the moon to the mines (Marsh), *STP 491*

hydraulic oil cleanliness: a key to N/C machine maintenance (Arndt), *STP 491*
 improve system contamination control and increase system efficiency (Duncan), *STP 491*
 maintenance of cleanliness of hydraulic fluids and systems (Baranowski), *STP 491*
 requirements for an effective program in fluid contamination control (Fitch), *STP 491*
 Hydrocarbons
 molecular formula list of compounds, names, and references to published infrared spectra, 14th supplement, *AMD 31-S14*
 physical constants of hydrocarbons C₁ to C₁₀ (ASTM Committee D-2), ASTM Data Series Publications DS 4A
 Hydrogen, effect of hydrogen on the ductile properties of irradiated pressure vessel steels (Brinkman and Beeston), *STP 484*
 Hydrogen embrittlement, acoustic emission testing and microfracture processes (Tetelman), *MR&S*, March, 1971, 13
 Hypergolic ignition, apparatus for determination of impact sensitivity of materials in contact with liquid and gaseous oxygen at high pressures (Key), *MR&S*, June, 1971, 28
 Igata, N., Hasiguti, R. R., Yagi, E., Nishiike, U., and Watanabe, K.: Neutron irradiation effects on iron containing aluminum and nitrogen, *STP 484*
 Ignition, assessment of impact test techniques for determining the fire or explosion hazards of materials exposed to liquid oxygen (Blackstone and Ku), *MR&S*, June, 1971, 30
 Immunity, editorial note (Brooke), *MR&S*, April, 1971, 14
 Impact shock, shock sensitivity tester for liquid propellant-structural material systems (Bell, English, Murata, Pohl, and Tiner), *MR&S*, June, 1971, 16
 Impact strength, drop weight test for the impact strength of ceramic materials (Acquaviva), *MR&S*, Oct., 1971, 21
 Impact tests
 apparatus for determination of impact sensitivity of materials in contact with liquid and gaseous oxygen at high pressures (Key), *MR&S*, June, 1971, 28
 assessment of impact test techniques for determining the fire or explosion hazards of materials exposed to liquid oxygen (Blackstone and Ku), *MR&S*, June, 1971, 30
 development of a gaseous oxygen impact testing method (Jamison), *MR&S*, June, 1971, 22
 drop weight test for the impact strength of ceramic materials (Acquaviva), *MR&S*, Oct., 1971, 21
 intrinsic impact strength of ceramics: Charpy tests (Monack), *MR&S*, April, 1971, 24
 techniques for determination of flash and fire points and impact sensitivity of materials in a gaseous oxygen environment (Pippen and Stradling), *MR&S*, June, 1971, 35
 Infrared detectors, properties of infrared sensor materials (Caren, Funai, Frye, and Sklensky), *MR&S*, June, 1971, 10
 Infrared spectra, serial number list of compound names and references to published infrared spectra, 14th supplement, *AMD 32-S14*
 Infrared spectrophotometers, quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy (Ages and Bowen), *JOM*, Dec., 1971, 766
 Inspection, holographic contouring techniques applicable to mechanical testing (Varner), *MR&S*, Sept., 1971, 31
 Interferometry, laser holography and interferometry in materials research (Dudderar and O'Regan), *MR&S*, Sept., 1971, 8
 Interpretation, nondestructive evaluation challenge of the 70's (Williams), *MR&S*, Dec., 1971, 8
 Intersociety, relations committee (O'Connor), *MR&S*, April, 1971, 31
 Ion microscopes, electron beam microanalysis (Beaman and Isasi), *MR&S*, Nov., 1971, 8
 Ireland, D. R.: see Wullaert, R. A., Ireland, D. R., and Tetelman, A. S.
 Iron, correlation between the mechanical properties and microstructure of irradiated iron and low-carbon steel (Stefanovic and Milasin), *STP 484*

Irradiation, computer experiments in nuclear materials technology (Beeler and Yoshikawa), *MR&S*, Feb., 1971, 29
 Isaacs, R. M. F.: see Conlon, R. J. and Isaacs, R. M. F.
 Isasi, J. A.: see Beaman, D. R. and Isasi, J. A.
 Jagel, K. I.: see Osterhout, D. P., Jagel, K. I., and Koehl, W. J.
 Jamison, H. H.: Development of a gaseous oxygen impact testing method, *MR&S*, June, 1971, 22
 Jensen, J. E.: Ballistic damage characteristics and damage tolerance of wing structural elements, *STP 486*
 Jentgen, R. L.: see Kissel, J. W., Jentgen, R. L., and Glaeser, W. A.
 Jessop, E. L., Ward, M. A., and Neville, A. M.: Relation between creep and creep recovery in cement paste, *JOM*, March, 1971, 188
 Jhansale, H. R.: see Topper, T. H., Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.
 Johari, O.: see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Fallor, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.
 Joints, architectural considerations in plaza membrane waterproofing systems (Parise), *MR&S*, May, 1971, 19

Kalnin, I.: see Berg, C. A., Melton, R., Kalnin, I., and Dunn, T.
 Kangilaski, M., Spretnak, J. W., Bauer, A. A., and Wullaert, R. A.: Influence of irradiation temperature on the tensile properties of stainless steel, *STP 484*
 Karol, R. H.: Use of chemical grouts to sample sands, *STP 483*
 Kassifi, Gabriel and Ben-Shalom, Asher: Apparatus for measuring swell potential under controlled moisture intake, *JOM*, March, 1971, 3
 Kaufman, J. G.
 Brownhill, D. J., Davies, R. E., and Babilon, C. F.: New data on the moduli of elasticity of aluminum alloys, *JOM*, Dec., 1971, 1001
 see also Nelson, F. G. and Kaufman, J. G.
 Kawasaki, M., Fujimura, T., Suzuki, K., Namatame, H., and Kawasaki, Minoru: Evaluation of the embrittlement of pressure vessel steels irradiated in JPDR, *STP 484*
 Kawasaki, Minoru: see Kawasaki, M., Fujimura, T., Suzuki, K., Namatame, H., and Kawasaki, Minoru.
 Keefer, D. W., Neely, H. H., Robinson, J. C., Pard, A. G., and Kramer, D.: Void formation in proton irradiated stainless steel, *STP 484*
 Keith, R. E.: see Flax, R. W., Keith, R. E., and Randall, M. D.
 Kempainen, A. I.: Statistical interpretation of atmospheric and accelerated corrosion test results on stainless steel, *MR&S*, Jan., 1971, 22
 Kerns, B. T. and Huffstutler, M. C., Jr.: Size and geometry of granular carbon aggregates, *JOM*, June, 1971, 295
 Key, C. F.: Apparatus for determination of impact sensitivity of materials in contact with liquid and gaseous oxygen at high pressures, *MR&S*, June, 1971, 28
 Kies, J. A.: see Beachem, C. D., Kies, J. A., and Brown, B. F.
 Kirchner, H. P.
 and Rishel, P. A.: Measuring the tensile strength of a brittle material using a thermal contraction loading device, *JOM*, March, 1971, 39
 see Platts, D. R. and Kirchner, H. P.
 Kirnbauer, E. A.: Contribution of hydraulic fluids to system contamination, *STP 491*
 Kissel, J. W., Jentgen, R. L., and Glaeser, W. A.: Evaluation techniques for the friction behavior of gold sliding contacts operating in high-purity environments, *MR&S*, May, 1971, 26
 Koehl, W. J.: see Osterhout, D. P., Jagel, K. I., and Koehl, W. J.
 Korns, J. L.: Interlaboratory program to evaluate present pyrometric practices in elevated temperature testing, *STP 488*

Kraft, L. M., Jr., and Krishnamurthy, N.: Analytical model for evaluating stress-strain response of soils, *JOM*, Dec., 1971, 800

Kramer, D.

Garr, K. R., Rhodes, C. G., and Pard, A. G.: effects of helium on the high-temperature ductility of sandvik 12R72HV and inco IN-744X, *STP 484*

see Keefer, D. W., Neely, H. H., Robinson, J. C., Pard, A. G., and Kramer, D.

Krempel, E. and Wundt, B. M.: Hold-time effects in high-temperature low-cycle fatigue, *STP 489*

Krishnamurthy, N.: see Kraft, L. M., Jr., and Krishnamurthy, N.

Krizek, R. J.: see Sheeran, D. E. and Krizek, R. J.

Krokosky, E. M.: see Tilmans, A. and Krokosky, E. M.

Krupp, W. E.: see Croke, D. R., Krupp, W. E., Robinson, W. C., Jr., and McCurdy, R. N.

Ku, P. M.: see Blackstone, W. R. and Ku, P. M.

Kusenberger, F. N.: see Barton, J. R. and Kusenberger, F. N.

L

Laboratories directory of testing laboratories (ASTM staff), *STP 333B*

Lacquers, quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy (Ages and Bowen), *JOM*, Dec., 1971, 766

Landes, W.: Truth in consumer labeling—an accepted plan for leather and down pillows to ensure proper labeling, *MR&S*, April, 1971, 26

Langford, W. J.: Metallurgical properties of cold-worked Zircaloy 2 pressure tubes irradiated under CANDU-PHW power reactor conditions, *STP 484*

La Rochelle, Pierre and Lefebvre, Guy: Sampling disturbance in Champlain clays, *STP 483*

Larson, C. M.: California gasoline correlation of vehicle pollution control and unleaded gasoline correlation tests—general discussion, *STP 487*

Larson, F. G.: see Snape, E. and Larson, F. G.

Laycraft, N. E.: see Leitch, H. C. and Laycraft, N. E.

Ledbetter, W. B.: see Bynum, D., Jr., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.

Lefebvre, Guy: see La Rochelle, Pierre and Lefebvre, Guy

Leitch, H. C. and Laycraft, N. E.: Water retention efficiency of membrane curing compounds, *JOM*, Sept., 1971, 606

Le May, I.: Fatigue properties of copper bearing steels, *JOM*, June, 1971, 436

Lepper, H. A., Jr., and Rodgers, R. B.: Nuclear methods for determining the water content and unit weight of fresh concrete, *JOM*, Dec., 1971, 826

Li, Che-Yu, Franklin, D. G., and Harkness, S. D.: Considerations of metal swelling and related phenomena caused by fast neutron irradiation, *STP 484*

Lifshin, Eric: Solid-state X-ray detectors for electron microprobe analysis, *STP 485*

Light (visible radiation), color difference and color tolerance evaluation problems and outlook (Friele), *JOM*, Dec., 1971, 755

Lime, lime stabilized clay foundation (Watt and Machibroda), *JOM*, June, 1971, 453

Lindholm, U. S., Bessey, R. L., and Smith, G. V.: Effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys, *JOM*, March, 1971, 119

Liptai, R. G. and Harris, D. O.: Acoustic emission—an introductory review, *MR&S*, March, 1971, 8

Liquefied gases, shock sensitivity tester for liquid propellant-structural material systems (Bell, English, Murata, Pohl, and Tiner), *MR&S*, June, 1971, 16

Liquid saturation apparatus for measuring swell potential under controlled moisture intake (Kassiff and Ben-Shalom), *JOM*, March, 1971, 3

correlation of suction curves with the plasticity index of soils (Russell and Mickle), *JOM*, June, 1971, 320

Liu, A. F. and Ekvall, J. C.: Material toughness and residual strength of damage tolerant aircraft structures, *STP 486*

Livneh, M., Gellert, M., and Uzan, J.: Determination of the elastic modulus of soil by the pressure meter test—theoretical background, *JOM*, June, 1971, 348

Lo, K. Y., Seychuk, J. L., and Adams, J. I.: A study of the deformation characteristics of a stiff fissured clay, *STP 483*

Loads, determination of load errors in universal testing machines due to speed of testing (Robinson), *MR&S*, Jan., 1971, 14

Loads (forces), load movement behavior of long piles (Hanna and Tan), *JOM*, Sept., 1971, 532

London, G. J.: see Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.

Lovelace, A. M.: High performance fiber composites, *MR&S*, May, 1971, 8

Lovell, A. J. and Barker, R. W.: Uniaxial and biaxial creep rupture of type 316 stainless steel after fast reactor irradiation, *STP 484*

Low cycle fatigue, see Fatigue (materials)

Low temperature tests apparatus for determination of impact sensitivity of materials in contact with liquid and gaseous oxygen at high pressures (Key), *MR&S*, June, 1971, 28

laboratory method for assessing homogeneity and interchangeability of thermocouple wires (Sparks and Powell), *MR&S*, Aug., 1971, 19

shock sensitivity tester for liquid propellant-structural material systems (Bell, English, Murata, Pohl, and Tiner), *MR&S*, June, 1971, 16

Lowe, Jr., A. L. and Baroch, C. J.: Effect of irradiation on the mechanical properties of 19-9DL alloy, *STP 484*

Lubrication, hydraulic oil cleanliness: a key to N/C machine maintenance (Arndt), *STP 491*

Ludema, K. C.: Road surface texture, *MR&S*, Oct., 1971, 13

Lumber, quality control of lumber fungicidal treatment: estimating number of samples (Cserjesi, Roff, and Warren), *MR&S*, Aug., 1971, 29

Lysaght, E. V.: Hardness conversion tables for copper, *JOM*, Sept., 1971, 503

Lynnworth, L. C. and Bradshaw, J. E.: Magnetostriction transducers for acoustic emission, impulse, vibration, and noise analysis, *MR&S*, March, 1971, 33

M

Machibroda, P.: see Watt, W. G. and Machibroda, P.

Magnetic particle tests, fatigue damage detection (Barton and Kusenberger), *STP 495*

Magnetostriction transducers, for acoustic emission, impulse, vibration, and noise analysis (Lynnworth and Bradshaw), *MR&S*, March, 1971, 33

Mandel, John: Repeatability and reproducibility, *MR&S*, Aug., 1971, 8

Manjoine, M. J.: Measuring stress relaxation by a compliance method, *JOM*, June, 1971, 253

Manson, S. S.: Avoidance, control, and repair of fatigue damage, *STP 495*

Marechal, G.: Further considerations—the almeter, *JOM*, June, 1971, 332

Maringer, R. E.: see Marshall, C. W. and Maringer, R. E.

Marlow, D. A. and Beerbower, A.: Status report on the tech O/F-7 contamination methods program, *STP 491*

Marshall, C. W. and Maringer, R. E.: Stress relaxation as a source of dimensional instability, *JOM*, June, 1971, 374

(continued on page 66)

Know Your Sheet Metal— Check it with this

DUCTILITY TESTER

This highly sensitive sheet metal tester takes specimens up to ¼-in. thick, applies up to 40,000 lbs. pressure. The completely enclosed hydraulic system is directly driven by an electric motor. Both one and two gauge models are made, as well as 2,000-lb. units.

By turning one control, this machine grips the specimen, tests it, and releases it. Gripping pressure always exceeds test pressure. Test is made in full view and results are read from the gauges' maximum indicator needles.

Write today for more information on ductility testing.



Model G2-S

DETROIT TESTING MACHINE CO.

9400 Grinnell Ave., Detroit, Michigan 48213

FOR FURTHER INFORMATION CIRCLE 2113 ON READER SERVICE CARD

(continued from page 65)

- Marsh, W. J.: Filtering—from the moon to the mines, *STP 491*
- Martin, J. F., Topper, T. H., and Sinclair, G. M.: Computer based simulation of cyclic stress-strain behavior with applications to fatigue, *MR&S*, Feb., 1971, 23
- Massialas, F. G.: see Felber, C. K. and Massialas, F. G.
- Matson, G. L.: see Skoe, R. E. and Matson, G. L.
- McHenry, H. I.: Compliance method for crack growth studies at elevated temperatures, *JOM*, Dec., 1971, 862
- McLaren, Richard W.: Rewards of competitive alternatives, *MR&S*, Aug., 1971, 16
- Medrano, R. E.: see Gillis, P. P. and Medrano, R. E.
- Melton, R.: see Berg, C. A., Melton, R., Kalnin, I., and Dunn, T.
- Membranes, water retention efficiency of membrane curing compounds (Leitch and Laycraft), *JOM*, Sept., 1971, 606
- Metal bending, method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), *JOM*, March, 1971, 16
- Metal sheets, method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), *JOM*, March, 1971, 16
- Metals, acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
- Metrology, laser holography and interferometry in materials research (Dudderar and O'Regan), *MR&S*, Sept., 1971, 8
- Mickle, J. L.: see Russell, E. R. and Mickle, J. L.
- Micrometers, calibration of a filar micrometer (Ogburn, Shives, and Brady), *JOM*, March, 1971, 60
- Microscopy, electron beam microanalysis part I (Beaman and Isasi), *MR&S*, Nov., 1971, 8, part II, Dec., 1971, 12
- Microstructure, properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), *JOM*, Sept., 1971, 738
- Milasin, N. Lj.: see Stefanovic, V. M. and Milasin, N. Lj.
- Milovic, D. M.: Effect of sampling on some soil characteristics, *STP 483*
- Minnick, L. J., Webster, W. C., and Purdy, E. J., Jr.: Predictions of the effect of fly ash in portland cement mortar and concrete, *JOM*, March, 1971, 163
- Mitchell, J. K.: see Wang, Mian-Chang and Mitchell, J. K.
- Mittal, R. K.: Biaxial loading of aluminum and a generalization of the parabolic law, *JOM*, March, 1971, 67
- Moen, R. A., Tobin, J. C., and Thomas, K. C.: Neutron fluence limit determinations for some fast flux test facility components, *STP 484*
- Moisture content, nuclear methods for determining the water content and unit weight of fresh concrete (Lepper and Rodgers), *JOM*, Dec., 1971, 826
- Monack, A. J.: Intrinsic impact strength of ceramics: Charpy tests, *MR&S*, April, 1971, 24
- Morais, R.: see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Faller, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.
- Morgan, W. C.: see Serpan, C. Z., Jr., and Morgan, W. C.
- Morgenstern, N. R. and Thomson, S.: Comparative observations on the use of the pitcher sampler in stiff clay, *STP 483*
- Morris, W. E. and Dishart, K. T.: Influence of vehicle emission control systems on the relationship between gasoline and vehicle exhaust hydrocarbon composition, *STP 487*
- Mortars (materials)
accelerated strength determination on cement using miniature test cylinders (Zoldners and Carrette), *JOM*, March, 1971, 82
influence of washing on properties of standard Ottawa testing sand (Schatzlein and Reitz), *JOM*, March, 1971, 218
new technique for analysis of chlorides in mortar (Browne and Bolling), *JOM*, Sept., 1971, 524
physical aspects of the setting of portland cement concrete (Popovics), *JOM*, March, 1971, 150
predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), *JOM*, March, 1971, 163
Moser, C. E.: Automotive emission research—review of the coordinating research council program, *STP 487*
- Munim, A. V.: see Barock, C. J., Munim, A. V., and Harbinson, E. N.
- Murata, K. K.: see Bell, L. E., English, W. D., Murata, K. K., Pohl, S. W., and Tiner, N. A.
- Myklebust, R. L. and Heinrich, K. F. J.: Rapid quantitative electron probe microanalysis with a nondiffractive detector system, *STP 485*
- McCurdy, R. N.: see Croke, D. R., Krupp, W. E., Robinson, W. C., Jr., and McCurdy, R. N.
- McElroy, W. N. and Dahl, R. E., Jr.: Neutron dosimetry for fast reactor applications, *STP 484*
- McHenry, E. R.: New method for determining softening points of pitches, asphalts, and similar materials, *JOM*, March, 1971, 30
- N**
- Namatame, H.: see Kawasaki, M., Fujimura, T., Suzuki, K., Namatame, H., and Kawasaki, Minoru
- Neely, H. H.: see Keefer, D. W., Neely, H. H., Robinson, J. C., Pard, A. G., and Kramer, D.
- Nelson, F. G. and Kaufman, J. G.: Plane strain fracture toughness of aluminum alloys at room and subzero temperatures, *STP 496*
- Neutron flux
neutron fluence limit determinations for some fast flux test facility components (Moen, Tobin, and Thomas), *STP 484*
neutron dosimetry for fast reactor applications (McElroy and Dahl, Jr.), *STP 484*
- Neutron irradiation
axial fatigue of irradiated stainless steels tested at elevated temperatures (Beeston and Brinkman), *STP 484*
considerations of metal swelling and related phenomena caused by fast neutron irradiation (Che-Yu Li, Franklin, and Harkness), *STP 484*
correlation between the mechanical properties and microstructure of irradiated iron and low-carbon steel (Stefanovic and Milasin), *STP 484*
demonstration of improved radiation embrittlement resistance of A533B steel through control of selected residual elements (Hawthorne), *STP 484*
effect of fast neutron irradiation on the creep rupture properties of type 304 stainless steel at 600 C (Bloom and Stiegler), *STP 484*
effect of fast neutron irradiation on the mechanical properties of some quenched and tempered steels (Hosbons and Wotton), *STP 484*
effect of hydrogen on the ductile properties of irradiated pressure vessel steels (Brinkman and Beeston), *STP 484*
effect of irradiation on the mechanical properties of 19-9DL alloy (Lowe and Barock), *STP 484*
effect of neutron irradiation on the mechanical properties of zirconium alloy fuel cladding in uniaxial and biaxial tests (Hardy), *STP 484*
effects on iron containing aluminum and nitrogen (Igata, Hasiguti, Yagi, Nishiike, and Watanabe), *STP 484*
effects of irradiation in a thermal reactor on the tensile properties of Zircaloy 2 and 4 and boric stainless steel (Barock, Munim and Harbinson), *STP 484*
evaluation of the embrittlement of pressure vessel steels irradiated in JPDR (Kawasaki, Fujimura, Suzuki, Namatame, and Kawasaki), *STP 484*
influence of neutron irradiation on the creep rupture properties of a 16Cr-13Ni steel (Ehrlich, Bohm, and Wassilew), *STP 484*
influence of irradiation temperature on the tensile properties of stainless steel (Kangilaski, Spretnak, Bauer, and Wullaert), *STP 484*
irradiation effects at cryogenic temperature on tensile properties of titanium and titanium-base alloys (Younger and Haley), *STP 484*
mechanism and kinetics of void growth during neutron irradiation (Bullough and Perrin), *STP 484*
metallurgical properties of cold-worked Zircaloy 2 pressure tubes irradiated under CANDU-PHW power reactor conditions (Langford), *STP 484*
neutron dosimetry for fast reactor applications (McElroy and Dahl, Jr.), *STP 484*
neutron dosimetry for reactor pressure vessel applications (Serpan and Morgan), *STP 484*
neutron fluence limit determinations for some fast flux test facility components (Moen, Tobin, and Thomas), *STP 484*
quantitative transmission electron microscopy of bubbles in Al and Al-Al₂O₃ alloys (Ruedl), *STP 484*
radiation effects on the metallurgical fracture parameters and fracture toughness of pressure vessel steels (Wullaert, Ireland, and Tetelman), *STP 484*
some observations on the structure and tensile properties of AISI type 316 steel as a function of fast reactor irradiation temperature (Barton and Higgins), *STP 484*
structure and composition effects on irradiation sensitivity of pressure vessel steels (Steele), *STP 484*
temperature and neutron dose dependence of irradiation growth in Zircaloy 2, *STP 484*
uniaxial and biaxial creep rupture of type 316 stainless steel after fast reactor irradiation (Lovell and Barker), *STP 484*
Neville, A. M.: see Jessop, E. L., Ward, M. A., and Neville, A. M.
- Nickel alloys
electron fractography of high temperature, high strain rate fracture (Wilbur and Bucher), *STP 493*
interlaboratory program to evaluate present pyrometric practices in elevated temperature testing (Korns), *STP 488*
magnetostriction transducers for acoustic emission, impulse, vibration, and noise analysis (Lynnworth and Bradshaw), *MR&S*, March, 1971, 33
preliminary report on the AGARD evaluation of variables affecting high temperature creep results (Coutsouradis and Faurischou), *STP 488*
- Nickel steels
compliance method for crack growth studies at elevated temperatures (McHenry), *JOM*, Dec., 1971, 862
influence of alloy additions on quenched and aged high strength nickel steels (DePaul), *JOM*, Dec., 1971, 965
properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), *JOM*, Sept., 1971, 738
- Nickel-chromium alloys, metal-metal oxide reactions (Starr), *JOM*, March, 1971, 105
- Nickel-chromium steels, see Stainless steels
- Nishiike, U.: see Igata, N., Hasiguti, R. R., Yagi, E., Nishiike, U., and Watanabe, K.
- Nondestructive evaluation, challenge of the 70's (Williams), *MR&S*, Dec., 1971, 8
- Nondestructive testing, recent developments in acoustical imaging (Brenden), *MR&S*, Sept., 1971, 16
- Nondestructive tests
characterization of high purity metals by the residual resistivity ratio (Deason, Clark, and Powell), *MR&S*, Aug., 1971, 25
design features of holographic apparatus (Felber and Massialas), *MR&S*, Sept., 1971, 19
experimental considerations for acoustic emission testing (Tatro), *MR&S*, March, 1971, 17
fatigue damage detection (Barton and Kusenberger), *STP 495*
fatigue mechanisms in the sub-creep range (Grosskreutz), *STP 495*
holographic contouring techniques applicable to mechanical testing (Varner), *MR&S*, Sept., 1971, 31
laser holography and interferometry in materials research (Dudderar and O'Regan), *MR&S*, Sept., 1971, 8
pulsed ruby holographic instrumentation for materials testing and research (Roszhart, Pearson, and Bohn), *MR&S*, Sept., 1971, 36
Nontariff trade barriers, standards as nontariff trade barriers (Gilbert), *MR&S*, April, 1971, 8
Notch tests, properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), *JOM*, Sept., 1971, 738
- Nuclear density methods
statistical study of variations in materials and compacted densities by sand-cone and nuclear methods (Gnaedinger), *JOM*, Dec., 1971, 818
- Nuclear fuel cladding
effect of fast neutron irradiation on the creep rupture properties of type 304 stainless steel at 600 C (Bloom and Stiegler), *STP 484*
effect of irradiation on the mechanical properties of 19-9DL alloy (Lowe, Jr., and Barock), *STP 484*
effect of neutron irradiation on the mechanical

properties of zirconium alloy fuel cladding in uniaxial and biaxial tests (Hardy), *STP 484*
 elevated temperature tensile grips for tubing (Paxton), *STP 488*
Nuclear methods
 nuclear methods for determining the water content and unit weight of fresh concrete (Lepper and Rodgers), *JOM*, Dec., 1971, 826
 Nuclear propelled rockets, irradiation effects at cryogenic temperature on tensile properties of titanium and titanium-base alloys (Younger and Haley), *STP 484*
Nuclear reactors
 computer experiments in nuclear materials technology (Beeler and Yoshikawa), *MR&S*, Feb., 1971, 29
 see Power reactors (nuclear)
 Numerical control, hydraulic oil cleanliness: a key to N/C machine maintenance (Arndt), *STP 491*

O

Ogburn, Fielding, Shives, T. R., and Brady, C. H.: Calibration of a filar micrometer, *JOM*, March, 1971, 60
 Ogilvie, R. E.: see Sutfin, L. V. and Ogilvie, R. E.
 Oil properties, multicylinder test sequences for evaluating automotive engine oils (ASTM Committee D-2), *STP 315E*
 Olson, R. E.: see Gau, F. L. and Olson, R. E.
 Opp, D. A.: see Daniels, D. A. and Opp, D. A.
 Optical properties, properties of infrared sensor materials (Caren, Funai, Frye, and Sklensky), *MR&S*, June, 1971, 10
 Orange, T. W., Sullivan, T. L., and Calfo, F. D.: Fracture of thin sections containing through and part-through cracks, *STP 496*
 Orchard, D. F. and Barnett, A. M.: Electrocutting of concrete test specimens, *JOM*, Sept., 1971, 617
 Ore sampling, gouging abrasion test for materials used in ore and rock crushing: part I—description of the test (Borik and Sponseller), *JOM*, Sept., 1971, 576
 O'Regan, R.: see Dudderar, R. D. and O'Regan, R.
 Osterhout, D. P., Jagel, K. I., and Koehl, W. J.: IIEC program—a progress report, *STP 487*
 Oil tests, hydraulic oil cleanliness: a key to N/C machine maintenance (Arndt), *STP 491*
 Oxygen, techniques for determination flash and fire points and impact sensitivity of materials in a gaseous oxygen environment (Pippen and Stradling), *MR&S*, June, 1971, 35
Oxygen, (liquid)
 apparatus for determination of impact sensitivity of materials in contact with liquid and gaseous oxygen at high pressures (Key), *MR&S*, June, 1971, 28
 assessment of impact test techniques for determining the fire or explosion hazards of materials exposed to liquid oxygen (Blackstone and Ku), *MR&S*, June, 1971, 30
 development of a gaseous oxygen impact testing method (Jamison), *MR&S*, June, 1971, 22


P

Padawer, G. E.: Alternate method for deriving the bearing strength of plastics (ASTM D 953-54), *MR&S*, Jan., 1971, 18
 Pard, A. G.
 see Keefer, D. W., Neely, H. H., Robinson, J. C., Pard, A. G., and Kramer, D.
 see Kramer, D., Garr, K. R., Rhodes, C. G., and Pard, A. G.
 Parikh, N. M.: see Benedyk, J. C., Stawarz, D., and Parikh, N. M.
 Parise, C. J.: Architectural considerations in plaza membrane waterproofing systems, *MR&S*, May, 1971, 19
 Parker, M. T.
 see Brothers, A. J., Hill, M., Parker, M. T., Spitzig, W. A., Wiebe, W., and Wolff, U. E.
 see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Faller, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.
 Parry, D. L.: see Hutton, P. H. and Parry, D. L.
 Particle size, improve system contamination control and increase system efficiency (Duncan), *STP 491*
 Particle size distribution

requirements for an effective program in fluid contamination control (Fitch), *STP 491*
 size and geometry of granular carbon aggregates (Kerns and Huffstutler), *JOM*, June, 1971, 295
 Paxton, M. M.: Elevated temperature tensile grips for tubing, *STP 488*
 Pearce, N. S.: see Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.
 Pearson, D. J.: see Roszart, R. V., Pearson, D. J., and Bohn, J. R.
 Piezoelectric transducers, magnetostriction transducers for acoustic emission, impulse, vibration, and noise analysis (Lynnworth and Bradshaw), *MR&S*, March, 1971, 33
 Perrin, R. C.: see Bullough, R. and Perrin, R. C.
Petroleum products
 molecular formula list of compounds, names, and references to published infrared spectra, 14th supplement, *AMD 31-S14*
 physical constants of hydrocarbons C₁ to C₁₀ (ASTM Committee D-2), ASTM Data Series Publications DS 4A
 serial number list of compound names and references to published infrared spectra, 14th supplement, *AMD 32-S14*
Pharmaceuticals
 molecular formula list of compounds, names, and references to published infrared spectra, 14th supplement, *AMD 31-S14*
 serial number list of compound names and references to published infrared spectra, 14th supplement, *AMD 32-S14*
Photoelasticity, holographic photoelasticity: the modernization of an old tool (Fourney), MR&S, Sept., 1971, 22
 Pile structures, load movement behavior of long piles (Hanna and Tan), *JOM*, Sept., 1971, 532
 Pillows, truth in consumer labeling—an acceptance plan for feather and down pillows to ensure proper labeling (Landes), *MR&S*, April, 1971, 28
 Pippen, D. L. and Stradling, J. S.: Techniques for determination of flash and fire points and impact sensitivity of materials in a gaseous oxygen environment, *MR&S*, June, 1971, 35
 Pitch (materials), new method for determining softening points of pitches, asphalts, and similar materials (McHenry), *JOM*, March, 1971, 30
Plastic deformation
 acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
 biaxial loading of aluminum and a generalization of the parabolic law (Mittal), *JOM*, March, 1971, 67
 dislocation mechanisms as possible sources of acoustic emission (Gillis), *MR&S*, March, 1971, 11
Plastics
 alternate method for deriving the bearing strength of plastics (ASTM D 953-54) (Padawer), *MR&S*, Jan., 1971, 18
 fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kalnin, and Dunn), *JOM*, Sept., 1971, 683
 Platts, D. R. and Kirchner, H. P.: Comparing tensile and flexural strengths of a brittle material, *JOM*, March, 1971, 48
 Poe, D. D. Jr.: Fatigue crack propagation in stiffened panels, *STP 486*
 Pohl, S. W.: see Bell, L. E., English, W. D., Murata, K. K., Pohl, S. W., and Tiner, N. A.
 Pollution, rewards of competitive alternatives (McLaren), *MR&S*, Aug., 1971, 16
 Polyurethane resins, mechanical behavior of flexible polyurethane foams under high rate loading (Rao and Hofer), *JOM*, Sept., 1971, 704
 Popovics, Sandor: Physical aspects of the setting of portland cement concrete, *JOM*, March, 1971, 150
 Popp, H. G., Wilbers, L. G., and Erdeman, V. J.: Field practices in the repair of fatigue damaged jet engine components, *STP 495*
 Portland cements, electrocutting of concrete test specimens (Orchard and Barnett), *JOM*, Sept., 1971, 617
 Powell, R. L.
 see Deason, V. A., Clark, A. F., and Powell, R. L.
 see Sparks, L. L. and Powell, R. L.
Power reactors (nuclear)
 demonstration of improved radiation embrittle-

(continued on page 68)

NOW measure smoke generation quantitatively in Specific Optical Density units



- Sample may be subjected to both non-flaming and flaming pyrolytic exposure.
- Vertical light path eliminates errors caused by stratification of smoke.
- The new AMINCO Smoke Density Chamber is the only commercially available unit which performs the smoke generation tests specified by the Fire Test Group at the National Bureau of Standards.*

The unit measures the attenuation of a vertical light beam by the suspended particulate matter generated from materials under both pyrolytic decomposition and flaming combustion within a closed chamber. The resulting quantitative measurement provides a reliable base from which material performance at point of use may be extrapolated. Round-robin tests have established the reproducibility of the test materials.

FOR FURTHER INFORMATION,
WRITE FOR BULLETIN 2429.

* The Aminco Smoke Density Chamber is an improved commercial version of a chamber developed at the National Bureau of Standards and reported at the ASTM Symposium of Fire Test Methods—Restraint and Smoke, 1966. A copy of the report is available as a reprint from Aminco. Please request AMINCO reprint #396.



AMERICAN INSTRUMENT COMPANY
 DIVISION OF TRAVENOL LABORATORIES, INC.
 8030 Georgia Avenue, Silver Spring, Maryland 20910

CIRCLE 2114 ON READER SERVICE CARD

(continued from page 67)

ment resistance of A533B steel through control of selected residual elements (Hawthorne), *STP 484*
 metallurgical properties of cold-worked Zircaloy 2 pressure tubes irradiated under CANDU-PHW power reactor conditions (Langford), *STP 484*
 Pozzolans, predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), *JOM*, March, 1971, 163
 Pressure vessels
 demonstration of improved radiation embrittlement resistance of A533B steel through control of selected residual elements (Hawthorne), *STP 484*
 effect of fast neutron irradiation on the mechanical properties of some quenched and tempered steels (Hosbons and Wotton), *STP 484*
 effect of hydrogen on the ductile properties of irradiated pressure vessel steels (Brinkman and Beeston), *STP 484*
 effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), *JOM*, March, 1971, 134
 evaluation of the embrittlement of pressure vessel steels irradiated in JPDR (Kawasaki, Fujimura, Suzuki, Namatame, and Kawasaki), *STP 484*
 metallurgical properties of cold-worked Zircaloy 2 pressure tubes irradiated under CANDU-PHW power reactor conditions (Langford), *STP 484*
 neutron dosimetry for reactor pressure vessel applications (Serpan and Morgan), *STP 484*
 neutron irradiation effects on iron containing aluminum and nitrogen (Igata, Haseguti, Yagi, Nishiike, and Watanabe), *STP 484*
 radiation effects on the metallurgical fracture parameters and fracture toughness of pressure

vessel steels (Wullaert, Ireland, and Tetelman), *STP 484*
 structure and composition effects on irradiation sensitivity of pressure vessel steels (Steele), *STP 484*
 welding the HY steels (Flax, Keith, and Randall), *STP 484*
 Propellants, cryogenic rocket
 apparatus for determination of impact sensitivity of materials in contact with liquid and gaseous oxygen at high pressures (Key), *MR&S*, June, 1971, 28
 shock sensitivity tester for liquid propellant-structural material systems (Bell, English, Murata, Pohl, and Tiner), *MR&S*, June, 1971, 16
 Protective sports equipment, significant trends and complex barriers in the engineering of protective sports equipment (Hale), *MR&S*, Oct., 1971, 8
 Proton irradiation, void formation in proton irradiated stainless steel (Keefer, Neely, Robinson, Pard, and Kramer), *STP 484*
 Purdy, E. J., Jr.: see Minnick, L. J., Webster, W. C., and Purdy, E. J., Jr.
 Purity, characterization of high purity metals by the residual resistivity ratio (Deason, Clark, and Powell), *MR&S*, Aug., 1971, 25

Q


Quality control, holographic contouring techniques applicable to mechanical testing (Varner), *MR&S*, Sept., 1971, 31
 Quenching (cooling), properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), *JOM*, Sept., 1971, 738

R

Radhakrishna, H. S.: see Adams, J. I. and Radhakrishna, H. S.
 Radiation damage, see Neutron irradiation
 Radiation effects
 demonstration of improved radiation embrittlement resistance of A533B steel through control of selected residual elements (Hawthorne), *STP 484*
 effect of hydrogen on the ductile properties of irradiated pressure vessel steels (Brinkman and Beeston), *STP 484*
 effect of radiation on some mechanical properties of an epoxy system (Tilmans and Krokosky), *JOM*, June, 1971, 465
 effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhiints (Tilmans and Krokosky), *JOM*, June, 1971, 483
 evaluation of the embrittlement of pressure vessel steels irradiated in JPDR (Kawasaki, Fujimura, Suzuki, Namatame, and Kawasaki), *STP 484*
 neutron dosimetry for reactor pressure vessel applications (Serpan and Morgan), *STP 484*
 on the metallurgical fracture parameters and fracture toughness of pressure vessel steels (Wullaert, Ireland, and Tetelman), *STP 484*
 structure and composition effects on irradiation sensitivity of pressure vessel steels (Steele), *STP 484*
 Radioactive isotopes, energy dispersion X-ray analysis with electron and isotope excitation (Sandborg), *STP 485*
 Radiography, fatigue damage detection (Barton and Kusenberg), *STP 495*
 Radioisotopes, design and application of X-ray emission analyzers using radioisotope X-ray or

KLETT-SUMMERSON

Model
800-3




The Klett-Summerson Photoelectric Colorimeters are easily operated filter photometers. The scale readings of the potentiometer are proportional to the concentration of the colored substance in the cuvette when Beer's Law holds. The balanced two-photocell construction permits operation on unstabilized A.C.-D.C. circuits.

SCIENTIFIC APPARATUS


Klett-Summerson Photoelectric Colorimeters—
 Nephelometers—Fluorimeters—Bio-Colorimeters
 Colony Marker—Klett Reagents—Glass Cells

KLETT MANUFACTURING COMPANY, INC.
 179 East 87th Street New York, N. Y.

why did it



Locate any weak points in your products before a customer does. SR-4® strain gages help find the spots that need strengthening or redesign. BLH Electronics not



only supplies accurate strain gages for every job and environment; it also has the complete line of accessories and readout instruments. And the most helpful field service specialists. For help with the answers that protect your reputation, call on the BLH Sales Representative. BLH Electronics, Inc., Waltham, Mass. 02154

BLH ELECTRONICS, INC.



A subsidiary of Baldwin-Lima-Hamilton Corp.

FOR FURTHER INFORMATION CIRCLE 2116 ON READER SERVICE CARD

FOR FURTHER INFORMATION CIRCLE 2115 ON READER SERVICE CARD

MATERIALS RESEARCH AND STANDARDS

gamma ray sources (Rhodes), *STP 485*
 Randall, M. D.: see Flax, R. W., Keith, R. E., and Randall, M. D.
 Rao, P. N. and Hofer, K. E.: Mechanical behavior of flexible polyurethane foams under high rate loading, *JOM*, Sept., 1971, 704
 Ray, D. R.: see Bynum, D., Jr., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.
 Reactors (thermal), effects of irradiation in a thermal reactor on the tensile properties of Zircaloy 2 and 4 and borated stainless steel (Barock, Munim, and Harbinson), *STP 484*
 Refractory metals, metal-metal oxide reactions (Starr), *JOM*, March, 1971, 105
 Reimann, W. H.: Room temperature creep in Ti-6Al-4V, *JOM*, Dec., 1971, 926
 Reitz, M. T.: see Schatzlein, K. J. and Reitz, M. T.
 Repeatability, repeatability and reproducibility (Mandel), *MR&S*, Aug., 1971, 8
 Reproducibility, repeatability and reproducibility (Mandel), *MR&S*, Aug., 1971, 8
 Resendiz, D.: see Santoyo, E. and Resendiz, D.
 Resonance, structural measurements with holographic interferometry (Sampson), *MR&S*, Sept., 1971, 26
 Rhodes, C. G.: see Kramer, D., Garr, K. R., Rhodes, C. G., and Pard, A. G.
 Rhodes, J. R.: Design and application of X-ray emission analyzers using radioisotope X-ray or gamma ray sources, *STP 485*
 Rich, M. J.: Crack propagation in helicopter rotor blades, *STP 486*
 Richards, F. D. and Wetzel, R. M.: Mechanical testing of materials using an analog computer, *MR&S*, Feb., 1971, 19
 Ringler, R. L. and Hegyeli, R. J.: Artificial heart and its design—a stringent materials evaluation problem, *MR&S*, July, 1971, 21
 Rishel, P. A.: see Kirchner, H. P. and Rishel, P. A.

Roads, road surface texture (Ludema), *MR&S*, Oct., 1971, 13
 Robertson, A. F.: see Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.
 Robinson, D. C.: Determination of load errors in universal testing machine due to speed of testing, *MR&S*, Jan., 1971, 14
 Robinson, J. C.: see Keefer, D. W., Neely, H. H., Robinson, J. C., Pard, A. G., and Kramer, D.
 Robinson, W. C., Jr.: see Croke, D. R., Krupp, W. E., Robinson, W. C., Jr., and McCurdy, R. N.
 Rocks density and porosity measurements of solids (Aitcin) *JOM*, June, 1971, 282
 gouging abrasion test for materials used in ore and rock crushing: part I—description of the test (Borik and Sponseller), *JOM*, Sept., 1971, 576
 practice of sampling soil and rock (Golder), *STP 483*
 Rodgers, R. B.: see Lepper, H. A. Jr., and Rodgers, R. B.
 Roff, J. W.: see Cserjesi, A. J., Roff, J. W., and Warren, W. G.
 Rosenstein, A. H.
 Interpretation of stress relaxation data for stress relief applications, *JOM*, June, 1971, 265
 see Cox, T. B. and Rosenstein, A. H.
 Ross, J. H.: Fiber reinforcements for structural composites, *MR&S*, May, 1971, 11
 Roszhart, R. V., Pearson, D. J., and Bohn, J. R.: Pulsed ruby holographic instrumentation for materials testing and research, *MR&S*, Sept., 1971, 36
 Rowe, P. W.: Representative sampling in location, quality, and size, *STP 483*
 Ruedl, E.: Quantitative transmission electron


microscopy of bubbles in Al and Al-Al₂O₃ alloys, *STP 484*
 Rupture strength, supplemental report on the elevated temperature properties on chromium-molybdenum steels (an evaluation of 2¼Cr-1Mo steel) (Smith), *DS 6S2*
 Russ, J. C.
 Energy dispersion X-ray analysis on the scanning electron microscope, *STP 485*
 Light element analysis using the semiconductor X-ray energy spectrometer with electron excitation, *STP 485*
 Russell, E. R. and Mickle, J. L.: Correlation of suction curves with the plasticity index of soils, *JOM*, June, 1971, 320

S

Sailors, R. H.: see Carr, F. L., Biehler, D., Connolly, A., Dragen, R., Faller, J., Johari, O., Morais, R., Parker, M. T., and Sailors, R. H.
 Samples, preparation of homogeneous soil samples by slurry consolidation (Sheeran and Krizek), *JOM*, June, 1971, 356
 Sampling
 comments on "a general theory of sampling" (Duncan), *MR&S*, Jan., 1971, 25
 comparative observations on the use of the pitcher sampler in stiff clay (Morgenstern and Thomson), *STP 483*
 disturbance in Champlain clays (La Rochelle and Lefebvre), *STP 483*
 effect of sampling and testing techniques on the shear strength of a glacial-lacustrine clay from Welland, Ontario (Conlon and Isaacs), *STP 483*

(continued on page 70)

Now, you can save time and trouble in the determination of the particle size distribution of soils with Automatic Grain Size Analysis Apparatus:SF-82



Features:

1. Change in weight with time of a float in the soil suspension is continuously determined by an electronic balance.
2. Determined weight change is automatically recorded on the recording paper in x-log t units.
3. Recording time is 24 hours or more.
4. Equipped with a constant temperature bath and a hydrometer jar.
5. Supplied with a nomograph and a differential protractor.

Apparatus with three measuring units is available.

—All Civil Engineering Test Equipment—

MARUTO TESTING MACHINE CO.

15-4, 2-chome, Shirakawa, Koto-ku, Tokyo, Japan 135-91
 Cable Address: MARUTOMFG TOKYO Telephone: Tokyo-643-2111
 FOR FURTHER INFORMATION CIRCLE 2117 ON READER SERVICE CARD

DECEMBER 1971



THIS
TAKES
WEEKS

To test paints,
oils, metals, plastics, wood.

Q-C-T CYCLIC ENVIRONMENTAL TESTER

For further information, contact:

THE Q-PANEL COMPANY

15610 Industrial Parkway • Cleveland, Ohio 44135 • Phone (216) 267-9200
 FOR FURTHER INFORMATION CIRCLE 2118 ON READER SERVICE CARD

69

(continued from page 69)

effect of sampling on some soil characteristics (Milovic), *STP 483*
 effect of sampling, size, and storage on test results for marine clay (Bozozuk), *STP 483*
 further discussion: "a general theory of sampling" (Visman), *MR&S*, Aug., 1971, 32
 loss of strength due to sampling in a glacial lake deposit (Adams and Radhakrishna), *STP 483*
 performance study of soil sampler for deep-penetration marine borings (Emrich), *STP 483*
 practice of sampling soil and rock (Golder), *STP 483*
 representative sampling in location, quality, and size (Rowe), *STP 483*
 sampler trials in overconsolidated sensitive clay (Eden), *STP 483*
 status report on the tech O/F-7 contamination methods program (Marlow and Beerbower), *STP 491*
 use of chemical grouts to sample sands (Karol), *STP 483*
 Sampson, R. C.: Structural measurements with holographic interferometry, *MR&S*, Sept., 1971, 26
 Sandborg, A. O.: Energy dispersion X-ray analysis with electron and isotope excitation, *STP 485*
 Sands
 influence of washing on properties of standard Ottawa testing sand (Schatzlein and Reitz), *JOM*, March, 1971, 218
 test for validity of indirect tension tests of stabilized soils (Adepegba), *JOM*, Sept., 1971, 555
 Sandwich panels, failure analysis of a bonded honeycomb structure: a case study employing SEM (Bailey), *STP 493*
 Santoyo, E. and Resendiz, D.: Precision triaxial cell, *JOM*, Dec., 1971, 788
 Sasaki, J. R.: Developing a standard test for window condensation performance, *MR&S*, Oct., 1971, 17
 Scanning/electron microscopes, energy dispersion X-ray analysis on the scanning electron microscope (Russ), *STP 485*
 Schatzlein, K. J. and Reitz, M. T.: Influence of washing on properties of standard Ottawa testing sand, *JOM*, March, 1971, 218
 Schmieder, A. K.
 Measuring the apparatus contribution to bending in tension specimens, *STP 488*
 and Henry, A. T.: Axiality measurements on fifty creep machines, *STP 488*
 Semiconductors (materials)
 characterization of semiconductor X-ray energy spectrometers (Walter), *STP 485*
 solid-state X-ray detectors for electron microprobe analysis (Lifshin), *STP 485*
 Serpan, C. Z., Jr. and Morgan, W. C.: Neutron dosimetry for reactor pressure vessel application, *STP 484*
 Servomechanisms
 fluid conditioning for servo systems (Coroneos), *STP 491*
 hydraulic oil cleanliness: a key to N/C machine maintenance (Arndt), *STP 491*
 Seychuk, J. L.: see Lo, K. Y., Seychuk, J. L., and Adams, J. I.
 Shear properties, biaxial loading of aluminum and a generalization of the parabolic law (Mittal), *JOM*, March, 1971, 67
 Sheeran, D. E. and Krizek, R. J.: Preparation of homogeneous soil samples by slurry consolidation, *JOM*, June, 1971, 356
 Shives, T. R.: see Ogburn, Fielding, Shives, T. R., and Brady, C. H.
 Shober, E. I.: Voluntary standards—an industry view, *MR&S*, July, 1971, 7
 Shock absorbers, mechanical behavior of flexible polyurethane foams under high rate loading (Rao and Hofer), *JOM*, Sept., 1971, 704
 Shock mechanics, shock sensitivity tester for liquid propellant-structural material systems (Bell, English, Murata, Pohl, and Tiner), *MR&S*, June, 1971, 16
 Simpson, Richard O.: Voluntary standards—a government view, *MR&S*, July, 1971, 10
 Simulation, acoustic emission simulation test set (Fowler), *MR&S*, March, 1971, 35
 Sinclair, G. M.: see Martin, J. F., Topper, T. H., and Skelton, J.
 Biaxial stress-strain behavior of fabrics for air supported tents, *JOM*, Sept., 1971, 656
 and Freeston, W. D., Jr.: Strength of textile

structures at high strain rates, *JOM*, Sept., 1971, 643
 Sklensky, A. F.: see Caren, R. P., Funai, A. I., Frye, W. E., and Sklensky, A. F.
 Skoo, R. E. and Maltson, G. L.: Controlling the materials test by computer, *MR&S*, Feb., 1971, 8
 Smith, G. V.
 Supplemental report on the elevated temperature properties of chromium-molybdenum steels (an evaluation of 2¼Cr-1Mo steel), *DS 6S2*
 see Lindholm, U. S., Bessey, R. L., and Smith, G. V.
 Smoke, control of smoke in building fires—a state-of-the-art review (Yuill, Bartosic, Castino, Eickner, Gaskill, Pearce, Robertson, and Zabawsky), *MR&S*, April, 1971, 16
 Snape, E. and Larson, F. G.: Effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys, *JOM*, Dec., 1971, 911
 Snowmobiles, significant trends and complex barriers in the engineering of protective sports equipment (Hale), *MR&S*, Oct., 1971, 8
 Softening points, new method for determining softening points of pitches, asphalts, and similar materials (McHenry), *JOM*, March, 1971, 30
 Soil properties, density and porosity measurements of solids (Aitcin), *JOM*, June, 1971, 282
 Soils
 analytical model for evaluating stress-strain response of soils (Kraft and Krishnamurthy), *JOM*, Dec., 1971, 800
 correlation of suction curves with the plasticity index of soils (Russell and Mickle), *JOM*, June, 1971, 320
 determination of the elastic modulus of soil by the pressure meter test—theoretical background (Livneh, Gellert, and Uzan), *JOM*, June, 1971, 348
 effect of sampling and testing techniques on the shear strength of a glacial-lacustrine clay from Welland, Ontario (Conlon and Isaacs), *STP 483*
 lime stabilized clay foundation (Watt and Machibroda), *JOM*, June, 1971, 453
 load movement behavior of long piles (Hanna and Tan), *JOM*, Sept., 1971, 532
 new stress and strain gages for measurements in stabilized soil pavements (Wang and Mitchell), *JOM*, Dec., 1971, 774
 practice of sampling soil and rock (Golder), *STP 483*
 precision triaxial cell (Santoyo and Resendiz), *JOM*, Dec., 1971, 788
 preparation of homogeneous soil samples by slurry consolidation (Sheeran and Krizek), *JOM*, June, 1971, 356
 representative sampling in location, quality, and size (Rowe), *STP 483*
 statistical study of variations in materials and compacted densities by sand-cone and nuclear methods (Gnaedinger), *JOM*, Dec., 1971, 818
 study of the deformation characteristics of a stiff fissured clay (Lo, Seychuk, and Adams), *STP 483*
 test for validity of indirect tension tests of stabilized soils (Adepegba), *JOM*, Sept., 1971, 555
 uniformity of specimens of a compacted clay (Gau and Olson), *JOM*, Dec., 1971, 874
 use of chemical grouts to sample sands (Karol), *STP 483*
 Soils (glacial), loss of strength due to sampling in a glacial lake deposit (Adams and Radhakrishna), *STP 483*
 Sonic tests
 acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
 acoustic emission simulation test set (Fowler), *MR&S*, March, 1971, 35
 experimental considerations for acoustic emission testing (Tatro), *MR&S*, March, 1971, 17
 Sound transmission, factors affecting acoustic emission response from materials (Dunegan and Green), *MR&S*, March, 1971, 21
 Sound waves, recent developments in acoustical imaging (Brenden), *MR&S*, Sept., 1971, 16
 Spacecraft, development of a gaseous oxygen impact testing method (Jamison), *MR&S*, June, 1971, 22
 Spark ignition, techniques for determination of flash and fire points and impact sensitivity of materials in a gaseous oxygen environment (Pippen and Stradling), *MR&S*, June, 1971, 35
 Sparks, L. L. and Powell, R. L.: Laboratory method for assessing homogeneity and interchangeability of thermocouple wires, *MR&S*,

Aug., 1971, 19
 Spectral emittance, properties of infrared sensor materials (Caren, Funai, Frye, and Sklensky), *MR&S*, June, 1971, 10
 Spectrometers
 future of silicon X-ray detectors (Aitken and Woo), *STP 485*
 low-noise cryogenic preamplifiers (Elad), *STP 485*
 X-ray energy spectrometry in the 0.1 to 10 Å range (Fitzgerald and Gantzel), *STP 485*
 Sponseller, D. L.: see Borik, F. and Sponseller, D. L.
 Spretnak, J. W.: see Kangilaski, M., Spretnak, J. W., Bauer, A. A., and Wullaert, R. A.
 Springs (elastic), effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip (Fox), *JOM*, June, 1971, 422
 Spitzig, W. A.: see Brothers, A. J., Hill, M., Parker, M. T., Spitzig, W. A., Wiebe, W., and Wolff, U. E.
 Stabilizers (agents), test for validity of indirect tension tests of stabilized soils (Adepegba), *JOM*, Sept., 1971, 555
 Stainless steels
 axial fatigue of irradiated stainless steels tested at elevated temperatures (Beeston and Brinkman), *STP 484*
 considerations of metal swelling and related phenomena caused by fast neutron irradiation (Che-Yu Li, Franklin, and Harkness), *STP 484*
 constant K specimen for stress corrosion cracking tests (Beachem, Kies, and Brown), *MR&S*, April, 1971, 30
 effect of fast neutron irradiation on the creep rupture properties of type 304 stainless steel at 600 C (Bloom and Stiegler), *STP 484*
 effect of irradiation on the mechanical properties of 19-9DL alloy (Lowe, Jr., and Baroch), *STP 484*
 effects of helium on the high-temperature ductility of sandvik 12R72VH and inco IN-744X (Kramer, Garr, Rhodes, and Pard), *STP 484*
 effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), *JOM*, Dec., 1971, 911
 electron fractography of high temperature, high strain rate fracture (Wilbur and Bucher), *STP 493*
 gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590
 influence of irradiation temperature on the tensile properties of stainless steel (Kangilaski, Spretnak, Bauer, and Wullaert), *STP 484*
 influence of neutron irradiation on the creep rupture properties of a 16Cr-13Ni steel (Ehrlich, Bohm, and Wassilew), *STP 484*
 mechanism and kinetics of void growth during neutron irradiation (Bullough and Perrin), *STP 484*
 neutron fluence limit determinations for some fast flux test facility components (Moen, Tobin, and Thomas), *STP 484*
 statistical interpretation of atmospheric and accelerated corrosion test results on stainless steel (Kemppinen), *MR&S*, Jan., 1971, 22
 uniaxial and biaxial creep rupture of type 316 stainless steel after fast reactor irradiation (Lovell and Barker), *STP 484*
 void formation in proton irradiated stainless steel (Keefer, Neely, Robinson, Pard, and Kramer), *STP 484*
 Standards
 editorial note (Brooke), *MR&S*, April, 1971, 14
 making in the public interest (Heckman), *MR&S*, April, 1971, 12
 Standards (international), standards as nontariff trade barriers (Gilbert), *MR&S*, April, 1971, 8
 Starr, C. D.: Metal-metal oxide reactions, *JOM*, March, 1971, 105
 Static, determination of load errors in universal testing machines due to speed of testing (Robinson), *MR&S*, Jan., 1971, 14
 Static tests, laser holography and interferometry in materials research (Dudderar and O'Regan), *MR&S*, Sept., 1971, 8
 Statistical analysis, significance of the correlation coefficient for analyzing engineering data (Arni), *MR&S*, May, 1971, 16
 Statistics, repeatability and reproducibility (Mandel), *MR&S*, Aug., 1971, 8
 Stawarz, D.: see Benedyk, J. C., Stawarz, D., and Parikh, N. M.

Steele, L. E.: Structure and composition effects on irradiation sensitivity of pressure vessel steels, *STP 484*

Steel

correlation of microfractography and macrofractography of AISI 4340 steel—a report of ASTM E-24/II task group (Carr, Biehler, Connolly, Dragen, Faller, Johari, Morais, Parker, and Sailors), *STP 493*

corrosion fatigue crack growth rate behavior above and below $K_{I, \text{res}}$ in steels (Gallagher), *JOM*, Dec., 1971, 941

cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), *JOM*, Sept., 1971, 718

demonstration of improved radiation embrittlement resistance of A533B steel through control of selected residual elements (Hawthorne), *STP 484*

effect of fast neutron irradiation on the mechanical properties of some quenched and tempered steels (Hosbons and Wotton), *STP 484*

effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), *JOM*, March, 1971, 134

evaluation of the embrittlement of pressure vessel steels irradiated in JPDR (Kawasaki, Fujimura, Suzuki, Namatame, and Kawasaki), *STP 484*

gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590

neutron dosimetry for reactor pressure vessel applications (Serpan and Morgan), *STP 484*

neutron irradiation effects on iron containing aluminum and nitrogen (Igata, Haseguti, Yagi, Nishiike, and Watanabe), *STP 484*

plane strain fracture toughness of some cryogenic materials at room and subzero temperatures (Vishnevsky and Steigerwald), *STP 496*

some observations on the structure and tensile properties of AISI type 316 steel as a function of fast reactor irradiation temperature (Barton and Higgins), *STP 484*

structure and composition effects on irradiation sensitivity of pressure vessel steels (Steele), *STP 484*

welding the HY steels (Flax, Keith, and Randall), *STP 494*

Steel alloys

method for extrapolating rupture ductility (Goldhoff), *STP 488*

supplemental report on the elevated temperature properties on chromium-molybdenum steels (an evaluation of 2½Cr-1Mo steel) (Smith), *DS 6S2*

Steels (copper), fatigue properties of copper bearing steels (Le May) *JOM*, June, 1971, 436

Steels (maraging), correlation of fracture toughness, K_{Ic} , with fractographically derived plastic stretched zone width—a report of ASTM E-24/II task group (Brothers, Hill, Parker, Spitzig, Wiebe, and Wolff), *STP 493*

Steels (stainless)

apparent lowering of creep rupture life by frequent beam leveling (Voorhees), *STP 488*

effects of irradiation in a thermal reactor on the tensile properties of Zircaloy 2 and 4 and borated stainless steel (Barock, Munim and Harbinson), *STP 484*

elevated temperature tensile grips for tubing (Paxton), *STP 488*

interlaboratory program to evaluate present pyrometric practices in elevated temperature testing (Korns), *STP 488*

method for extrapolating rupture ductility (Goldhoff), *STP 488*

Steels (structural)

dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP 486*

radiation effects on the metallurgical fracture parameters and fracture toughness of pressure vessel steels (Wullaert, Ireland, and Tetelman), *STP 484*

Stefanovic, V. M. and Milasin, N. Lj.: Correlation between the mechanical properties and microstructure of irradiated iron and low-carbon steel, *STP 484*

Sterba, M. J.: see Faust, W. J. and Sterba, M. J. Steigerwald, E. A.: see Vishnevsky, C. and Steigerwald, E. A.

Stiegler, J. O.: see Bloom, E. E. and Stiegler, J. O. see Farrell, K. and Stiegler, J. O.

Stradling, J. S.: see Pippen, D. L. and Stradling, J. S.

Strain gages

new stress and strain gages for measurements in stabilized soil pavements (Wang and Mitchell), *JOM*, Dec., 1971, 774

axiality measurements on fifty creep machines (Schmieder and Henry), *STP 488*

Strain rate

consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), *JOM*, Sept., 1971, 514

effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys (Lindholm, Bessey, and Smith), *JOM*, March, 1971, 119

Strains, cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), *JOM*, Sept., 1971, 718

Stress analysis

holographic photoelasticity: the modernization of an old tool (Fournay), *MR&S*, Sept., 1971, 22

structural measurements with holographic interferometry (Sampson), *MR&S*, Sept., 1971, 26

Stress concentration

analytical model for evaluating stress-strain response of soils (Kraft and Krishnamurthy), *JOM*, Dec., 1971, 800

pulsed ruby holographic instrumentation for materials testing and research (Roszhart, Pearson, and Bohn), *MR&S*, Sept., 1971, 36

Stress corrosion

acoustic emission testing and microfracture processes (Tetelman), *MR&S*, March, 1971, 13

constant K specimen for stress corrosion cracking tests (Beachem, Kies, and Brown), *MR&S*, April, 1971, 30

test to determine the corrosion resistance of adhesive-primer systems (Croke, Krupp,

Robinson, and McCurdy), *MR&S*, Jan., 1971, 19

Stress cycles, computer based simulation of cyclic stress-strain behavior with applications to fatigue (Martin, Topper, and Sinclair), *MR&S*, Feb., 1971, 23

Stress relaxation

as a source of dimensional instability (Marschall and Maringer), *JOM*, June, 1971, 374

interpretation of stress relaxation data for stress relief applications (Rosenstein), *JOM*, June, 1971, 265

measuring stress relaxation by a compliance method (Manjoine), *JOM*, June, 1971, 253

Stress relaxation tests

consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), *JOM*, Sept., 1971, 514

interpretation of stress relaxation data for stress relief applications (Rosenstein), *JOM*, June, 1971, 265

Stress-strain diagrams, biaxial loading of aluminum and a generalization of the parabolic law (Mittal), *JOM*, March, 1971, 67

Structural analysis

assessment of structural integrity by acoustic emission (Hutton and Parry), *MR&S*, March, 1971, 25

structural measurements with holographic interferometry (Sampson), *MR&S*, Sept., 1971, 26

Structural materials, fiber reinforcements for structural composites (Ross), *MR&S*, May, 1971, 11

Structural steels

fatigue properties of copper bearing steels (Le May) *JOM*, June, 1971, 436

interpretation of stress relaxation data for stress

(continued on page 72)



NEW!
1 1/4" EXTRUDER
sized for
pilot plant
and small
batch production

New 1-1/4" Extruder with three L/D ratios: 10:1, 20:1 and 25:1 to precisely match actual production results.

Attach the new 1 1/4" Extruder to the new CWB 7 1/2 hp PREP CENTER[®] drive unit and you have ideal equipment for checking the quality of extruded material or for actual laboratory, pilot plant or small scale production. Add the CWB lab mixer attachment and

you can compound sample batches for complete evaluation.

CWB offers a wide range of basic test and accessory equipment to help you predict processability and upgrade quality. Take-off equipment and a wide assortment of interchangeable screws and dies are also available, as are a temperature strip chart recorder and indicating or recording pressure gauges and transducers.



C. W. Brabender Instruments, Inc.
U.S. and CANADA
50 E. Wesley Street, South Hackensack, N.J. 07606 201 • 343-8425
FOREIGN
Brabender OHG, 41 Duisberg, P.O. Box 204, W. Germany

(continued from page 71)

- relief applications (Rosenstein), *JOM*, June, 1971, 265
- Sullivan, C. P.: see Wells, C. H., Sullivan, C. P., and Gell, M.
- Sullivan, T. L.: see Orange, T. W., Sullivan, T. L., and Calfo, F. D.
- Surface chemistry, auger electron spectroscopy (Connell and Gupta), *MR&S*, Jan., 1971, 8
- Surface properties, road surface texture (Ludema), *MR&S*, Oct., 1971, 13
- Surface roughness, pulsed ruby holographic instrumentation for materials testing and research (Roszhart, Pearson, and Bohn), *MR&S*, Sept., 1971, 36
- Surgical implants (materials), torsional properties of equine metacarpus (Bynum, Ray, Ledbetter, and Boyd), *JOM*, March, 1971, 234
- Sutfin, L. V. and Ogilvie, R. E.: Role of the gas flow proportional counter in energy dispersive analysis, *STP 485*
- Suzuki, K.: see Kawasaki, M., Fujimura, T., Suzuki, K., Namatame, H., and Kawasaki, Minoru
- Swelling
- apparatus for measuring swell potential under controlled moisture intake (Kassifi and Ben-Shalom), *JOM*, March, 1971, 3
- considerations of metal swelling and related phenomena caused by fast neutron irradiation (Che-Yu Li, Franklin, and Harkness), *STP 484*
- Swift, T.: Development of the fail-safe design features of the DC-10, *STP 486*
- Systems analysis, design features of holographic apparatus (Felber and Massialas), *MR&S*, Sept., 1971, 19

T

- Tan, R. H. S.: see Hanna, T. H. and Tan, R. H. S.
- Tatro, C. A.: Experimental considerations for acoustic emission testing, *MR&S*, March, 1971, 17
- Telephone transmitters, size and geometry of granular carbon aggregates (Kerns and Huffstutler), *JOM*, June, 1971, 295
- Temperature measurement
- effect of thermocouple drift on rupture life at high temperature (Voorhees), *STP 488*
- interlaboratory program to evaluate present pyrometric practices in elevated temperature testing (Korns), *STP 488*
- laboratory method for assessing homogeneity and interchangeability of thermocouple wires (Sparks and Powell), *MR&S*, Aug., 1971, 19
- Tempering, properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), *JOM*, Sept., 1971, 738
- Tensile properties
- biaxial loading of aluminum and a generalization of the parabolic law (Mittal), *JOM*, March, 1971, 67
- wire extensometer for determining the mechanical properties of fine wires (Hart), *MR&S*, April, 1971, 26
- Tensile strength
- comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), *JOM*, March, 1971, 48
- effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys (Lindholm, Bessey, and Smith), *JOM*, March, 1971, 119
- fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kainin, and Dunn), *JOM*, Sept., 1971, 683
- measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), *JOM*, March, 1971, 39
- test for validity of indirect tension tests of stabilized soils (Adepegba), *JOM*, Sept., 1971, 555
- Tension tests
- acoustic emission—an introductory review (Liptai and Harris), *MR&S*, March, 1971, 8
- axiality measurements on fifty creep machines (Schmieder and Henry), *STP 488*
- biaxial loading of aluminum and a generalization of the parabolic law (Mittal), *JOM*, March, 1971, 67
- comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), *JOM*, March, 1971, 48
- effect of thermocouple drift on rupture life at high temperature (Voorhees), *STP 488*
- elevated temperature tensile grips for tubing (Paxton), *STP 488*
- factors affecting acoustic emission response from materials (Dunagan and Green), *MR&S*, March, 1971, 21
- interlaboratory program to evaluate present pyrometric practices in elevated temperature testing (Korns), *STP 488*
- measuring the apparatus contribution to bending in tension specimens (Schmieder), *STP 488*
- measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), *JOM*, March, 1971, 39
- strength of textile structures at high strain rates (Skelton and Freeston), *JOM*, Sept., 1971, 643
- Tents, biaxial stress-strain behavior of fabrics for air supported tents (Skelton), *JOM*, Sept., 1971, 656
- Test machine stiffness, consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), *JOM*, Sept., 1971, 514
- Testing, directory of testing laboratories (ASTM staff), *STP 333B*
- Tetelman, A. S.
- Acoustic emission testing and microfracture processes, *MR&S*, March, 1971, 13
- see Wullaert, R. A., Ireland, D. R., and Tetelman, A. S.
- Textile processing, further considerations—the almeter (Marechal), *JOM*, June, 1971, 332
- Texture, road surface texture (Ludema), *MR&S*, Oct., 1971, 13
- Thang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.: Cumulative fatigue damage under strain controlled conditions, *JOM*, Sept., 1971, 718
- Thermal conductivity, lorenz ratio as a tool for predicting the thermal conductivity of metals and alloys (Hust and Clark), *MR&S*, Aug., 1971, 22
- Thermal fatigue
- avoidance, control, and repair of fatigue damage (Manson), *STP 495*
- mechanisms of fatigue in the creep range (Wells, Sullivan, and Gell), *STP 495*
- Thermal properties, properties of infrared sensor materials (Caren, Funai, Frye, and Sklensky), *MR&S*, June, 1971, 10
- Thermal reactors, influence of irradiation temperature on the tensile properties of stainless steel (Kangilaski, Spretnak, Bauer, and Wullaert), *STP 484*
- Thermal resistance, lorenz ratio as a tool for predicting the thermal conductivity of metals and alloys (Hust and Clark), *MR&S*, Aug., 1971, 22
- Thermocouples
- effect of thermocouple drift on rupture life at high temperature (Voorhees), *STP 488*
- interlaboratory program to evaluate present pyrometric practices in elevated temperature testing (Korns), *STP 488*
- laboratory method for assessing homogeneity and interchangeability of thermocouple wires (Sparks and Powell), *MR&S*, Aug., 1971, 19
- theory and properties of thermocouple elements (Pollock), *STP 492*
- Thomas, K. C.: see Moen, R. A., Tobin, J. C., and Thomas, K. C.
- Thomson, S.: see Morgenstern, N. R. and Thomson, S.
- Tilmans, A. and Krokosky, E. M.
- Effect of radiation on some mechanical properties of an epoxy system, *JOM*, June, 1971, 465
- Effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhesives, *JOM*, June, 1971, 483
- Timber, structural, transformations useful in the evaluation of exclusion limits in skewed test data (Warren), *MR&S*, May, 1971, 23
- Tiner, N. A.: see Bell, L. E., English, W. D., Murata, K. K., Pohl, S. W., and Tiner, N. A.
- Titanium alloys
- correlation of fracture toughness, K_{Ic} , with fractographically derived plastic stretched zone width—a report of ASTM E-24/II task group (Brothers, Hill, Parker, Spitzig, Wiebe, and Wolff), *STP 493*
- dependence of fatigue crack propagation on strain energy release rate and crack opening displacement (Barson), *STP 486*
- fracture of thin sections containing through and part-through cracks (Orange, Sullivan, and Calfo), *STP 496*
- influence of specimen design in plane strain fracture toughness testing (Hall), *STP 496*

- irradiation effects at cryogenic temperature on tensile properties of titanium and titanium-base alloys (Younger and Haley), *STP 484*
- plane strain fracture toughness of some cryogenic materials at room and subzero temperatures (Vishnevsky and Steigerwald), *STP 496*
- room temperature creep in Ti-6Al-4V (Reimann), *JOM*, Dec., 1971, 926
- Tobin, J. C.: see Moen, R. A., Tobin, J. C., and Thomas, K. C.
- Topper, T. H.
- Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.: Fatigue testing techniques for conditions of biaxial stress, stress concentration, and pure bending, *JOM*, Dec., 1971, 842
- see Martin, J. F., Topper, T. H., and Sinclair, G. M.
- Torsion, sensor based computers applied to the laboratory (Daniels and Opp), *MR&S*, Feb., 1971, 12
- Torsion tests, biaxial loading of aluminum and a generalization of the parabolic law (Mittal), *JOM*, March, 1971, 67
- Torsional strength, torsional properties of equine metacarpus (Bynum, Ray, Ledbetter, and Boyd), *JOM*, March, 1971, 234
- Transformations, transformations useful in the evaluation of exclusion limits in skewed test data (Warren), *MR&S*, May, 1971, 23
- Transmission electron microscopy
- energy dispersion X-ray analysis with electron and isotope excitation (Sandborg), *STP 485*
- energy dispersion X-ray analysis with the transmission electron microscope (Bender and Duff), *STP 485*
- Triaxial tests, precision triaxial cell (Santoyo and Resendiz), *JOM*, Dec., 1971, 788
- Tubing, elevated temperature tensile grips for tubing (Paxton), *STP 488*
- Tungsten, application of electron fractography to the study of high-temperature cavitation in tungsten (Farrell and Stiegler), *STP 493*

U

- Ultrasonic frequencies, recent developments in acoustical imaging (Brenden), *MR&S*, Sept., 1971, 16
- Ultrasonic tests, fatigue damage detection (Barton and Kusenberger), *STP 495*
- Uzan, J.: see Livn, h. M., Gellert, M., and Uzan, J.

V

- Van Gieson, Paul: Report to ASTM on metrication in the United Kingdom, *MR&S*, Jan., 1971, 26
- Vance, R. W.: Cryogenic testing methods and materials—the problem, *MR&S*, June, 1971, 8
- Varner, J. R.: Holographic contouring techniques applicable to mechanical testing, *MR&S*, Sept., 1971, 31
- Vibration
- field practices in the repair of fatigue damaged jet engine components (Popp, Wilbers, and Erdeman), *STP 495*
- structural measurements with holographic interferometry (Sampson), *MR&S*, Sept., 1971, 26
- Vishnevsky, C. and Steigerwald, E. A.: Plane strain fracture toughness of some cryogenic materials at room and subzero temperatures, *STP 496*
- Visman, J.: Further discussion: "a general theory of sampling," *MR&S*, Aug., 1971, 32
- Voids
- considerations of metal swelling and related phenomena caused by fast neutron irradiation (Che-Yu Li, Franklin, and Harkness), *STP 484*
- quantitative transmission electron microscopy of bubbles in Al and Al-Al₂O₃ alloys (Ruedel), *STP 484*
- void formation in proton irradiated stainless steel (Keefer, Neely, Robinson, Pard, and Kramer), *STP 484*
- Voluntary specifications, an industry/government view (colloquim), *MR&S*, July, 1971, 14
- Voluntary standards
- a government view (Simpson), *MR&S*, July, 1971, 10
- an industry view (Shobert), *MR&S*, July, 1971, 7
- Voorhees, H. R.
- Apparent lowering of creep rupture life by frequent beam leveling, *STP 488*

Effect of thermocouple drift on rupture life at high temperature, *STP 488*
see Wilson, D. J., Freeman, J. W., and Voorhees, H. R.

W

Walsh, M. P.: see Doelling, R. P., Gerber, A. F., and Walsh, M. P.
Walter, F. J.: Characterization of semiconductor X-ray energy spectrometers, *STP 485*
Wang, Mian-Chang and Mitchell, J. K.: New stress and strain gages for measurements in stabilized soil pavements, *JOM*, Dec., 1971, 774
Ward, M. A.: see Jessop, E. L., Ward, M. A., and Neville, A. M.
Warren, W. G.
Transformations useful in the evaluation of exclusion limits in skewed test data, *MR&S*, May, 1971, 23
see Cserjesi, A. J., Roff, J. W., and Warren, W. G.
Wassilew, C.: see Ehrlich, K., Bohm, H., and Wassilew, C.
Watanabe, K.: see Igata, N., Haseguti, R. R., Yagi, E., Nishiike, U., and Watanabe, K.
Water loss, water retention efficiency of membrane curing compounds (Leitch and Laycraft), *JOM*, Sept., 1971, 606
Waterproofing, architectural considerations in plaza membrane waterproofing systems (Parise), *MR&S*, May, 1971, 19
Watstein, D.: Relation of unrestrained compressive strength of brick to strength of masonry, *JOM*, June, 1971, 304

Watt, W. G. and Machibroda, P.: Lime stabilized clay foundation, *JOM*, June, 1971, 453
Wear, evaluation techniques for the friction behavior of gold sliding contacts operating in high-purity environments (Kissel, Jentgen, and Glaeser), *MR&S*, May, 1971, 26
Wear resistance
gouging abrasion test for materials used in ore and rock crushing: part I—description of the test (Borik and Sponseller), *JOM*, Sept., 1971, 576
gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), *JOM*, Sept., 1971, 590
Webster, W. C.: see Minnick, L. J., Webster, W. C., and Purdy, E. J., Jr.
Weld metals, interpretation of stress relaxation data for stress relief applications (Rosenstein), *JOM*, June, 1971, 265
Welding, HY steels (Flax, Keith, and Randall), *STP 494*
Wells, C. H., Sullivan, C. P., and Gell, M.: Mechanisms of fatigue in the creep range, *STP 495*
Wetzel, R. M.: see Richards, F. D. and Wetzel, R. M.
Wiebe, W.: see Brothers, A. J., Hill, M., Parker, M. T., Spitzig, W. A., Wiebe, W., and Wolff, U. E.
Wilber, G. A. and Bucher, J. H.: Electron fractography of high temperature, high strain rate fracture, *STP 493*
Wilber, L. G.: see Popp, H. G., Wilbers, L. G., and Erdeman, V. J.
Williams, F. S. G.: Nondestructive evaluation challenge of the 70's, *MR&S*, Dec., 1971, 8

Williams, Garry: Role of multichannel analyzer in data handling, *STP 485*
Wilson, D. J., Freeman, J. W., and Voorhees, H. R.: Creep rupture testing of aluminum alloys to 100,000 hours, *JOM*, Dec., 1971, 981
Windows, developing a standard test for window condensation performance (Sasaki), *MR&S*, Oct., 1971, 17
Wire, extensometer for determining the mechanical properties of fine wires (Hart), *MR&S*, April, 1971, 26
Wolff, U. E.
Microfractographic features of stretched zone in an aluminum alloy fracture toughness specimen, *STP 493*
see Brothers, A. J., Hill, M., Parker, M. T., Spitzig, W. A., Wiebe, W., and Wolff, U. E.
Woo, E.: see Aitken, D. W. and Woo, E.
Wonsiewicz, B. C.: see Hart, R. R., Chin, G. Y., and Wonsiewicz, B. C.
Wotton, B. L.: see Hosbons, R. R. and Wotton, B. L.
Woven fabrics, strength of textile structures at high strain rates (Skelton and Freeston), *JOM*, Sept., 1971, 643
Wullaert, R. A.
Ireland, D. R., and Tetelman, A. S.: Radiation effects on the metallurgical fracture parameters and fracture toughness of pressure vessel steels, *STP 484*
see Kangilaski, M., Spretnak, J. W., Bauer, A. A., and Wullaert, R. A.
Wundt, B. M.: see Krempel, E. and Wundt, B. M.

(continued on page 74)

MISSING from your bookshelf?

STP 431 Adhesion or Cold Welding of Materials in Space Environment (1968)

327 pages \$12.75 less 20% to ASTM members

STP 435 Metal Corrosion in the Atmosphere (1968)

396 pages \$27.00 less 20% to ASTM members

STP 436 Electron Fractography (1968)

235 pages \$11.00 less 20% to ASTM members

STP 439 Nondestructive Testing of Nuclear Graphite (1968)

113 pages \$8.00 less 20% to ASTM members

Order now from

Add 5% for domestic, 7% for foreign shipment

AMERICAN SOCIETY for TESTING and MATERIALS

1916 Race St.

Phila., Pa. 19103

How can you test accurately with inaccurate test specimens?


Prepare precise test specimens the Tensilkut® way

TENSILKUT — contour mill non-deformed physical test specimens from foil, sheet metals, plate metals, and all plastic materials.

TENSILGRIND — precision contour grind tensile specimens from high-hardness alloys and refractory metals.

TENSILATHE — precision motorized master template to mill or grind round tensile specimens with tensilkut or tensilgrind.

TENSILTRACE — complete heavy-duty 2½ Horsepower lathe with hydraulic tracer for accurate turning of round tensile test bars.



IMPACTKUT — rapidly and accurately broach notches in impact test specimens from all metals.

WRITE FOR COMPLETE TECHNICAL BROCHURE

tensilkut engineering

DIVISION OF SIEBURG INDUSTRIES, INC. 50 NEWTOWN RD., DANBURY, CONN. 06810

FOR FURTHER INFORMATION CIRCLE 2120 ON READER SERVICE CARD

(continued from page 73)

X, Y, Z

X-ray
characterization of semiconductor X-ray energy spectrometers (Walter), *STP 485*
electron beam microanalysis (Beaman and Isasi), *MR&S*, part 1, Nov., 1971, 8, part 2, Dec., 1971, 12
X-ray analysis
design and application of X-ray emission analyzers using radioisotope X-ray or gamma ray sources (Rhodes), *STP 485*
energy dispersion X-ray analysis on the scanning electron microscope (Russ), *STP 485*
energy dispersion X-ray analysis with electron and isotope excitation (Sandborg), *STP 485*
energy dispersion X-ray analysis with the transmission electron microscope (Bender and Duff), *STP 485*
light element analysis using the semiconductor X-ray energy spectrometer with electron excitation (Russ), *STP 485*
low-noise cryogenic preamplifiers (Elad), *STP 485*

rapid quantitative electron probe microanalysis with a nondiffractive detector system (Myklebust and Heinrich), *STP 485*
role of multichannel analyzer in data handling (Williams), *STP 485*
role of the gas flow proportional counter in energy dispersive analysis (Sutphin and Ogilvie), *STP 485*
solid-state X-ray detectors for electron microprobe analysis (Lifshin), *STP 485*
X-ray energy spectrometry in the 0.1 to 10 Å range (Fitzgerald and Gantzel), *STP 485*
X-ray spectrometers
future of silicon X-ray detectors (Aitken and Woo), *STP 485*
role of multichannel analyzer in data handling (Williams), *STP 485*
Yagi, R. R.: see Igata, N., Hasiguti, R. R., Yagi, E., Nishiike, U., and Watanabe, K.
Yield strength
effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys (Lindholm, Bessey, and Smith), *JOM*, March, 1971, 119
properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), *JOM*, Sept., 1971, 738

Yoshikawa, H. H.: see Beeler, J. R., Jr., and Yoshikawa, H. H.
Younger, C. L. and Haley, F. A.: Irradiation effects at cryogenic temperature on tensile properties of titanium and titanium-base alloys, *STP 484*
Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.: Control of smoke in building fires—a state-of-the-art review, *MR&S*, April, 1971, 16
Zabawsky, Z.: see Yuill, C. H., Bartosic, A. J., Castino, G. T., Eickner, H. W., Gaskill, J. R., Pearce, N. S., Robertson, A. F., and Zabawsky, Z.
Zirconium alloys
effect of neutron irradiation on the mechanical properties of zirconium alloy fuel cladding in uniaxial and biaxial tests (Hardy), *STP 484*
metallurgical properties of cold-worked Zircaloy 2 pressure tubes irradiated under CANDU-PHW power reactor conditions (Langford), *STP 484*
temperature and neutron dose dependence of irradiation growth in Zircaloy 2, *STP 484*
Zoldners, N. G. and Carette, G. G.: Accelerated strength determination on cement using miniature test cylinders, *JOM*, March, 1971, 82

MR&S News Index—1971

This is an index to the news columns of *MR&S* for Volume 11, 1971

A

Adams, P. Bruce, receives H. V. Churchill award, August, 40
Astin, Allen V., receives honorary membership, July, 34
ASTM 1971 Annual Meeting
North American materials evaluation exposition, May, 39
photographic exhibit, October, 30
presidential address, October, 26
program, May, 30
ASTM awards
Bates, P. H., November, 40
Churchill, H. V., August, 40
Excalibur memento, July, 36
Executive, August, 40
Hecht, Max, March, 43
Hogentogler, C. A., August, 40
Honorary membership, July, 34
Lundell-Bright, August, 40
Markwardt, L. J., August, 41
Merit, awards of, August, 38
Pearce, William T., April, 40
Smith, Harold Dewitt, medal, July, 35
Templin, Richard L., August, 41
Thompson, Sanford E., August, 41
Tour, S., August, 41
Voss, Walter C., August, 42
ASTM committee activities
A-5, Bal Harbour meeting on consumer standards, November, 37
C-3, realigns technical committees, July, 28
C-24, a joint-movement study proposed, November, 37
D-2, development of new engine oil classification category, November, 37
D-2, Institute of Petroleum delegation attends committee meeting, July, 28
D-13, care labeling, November, 36
D-13, represented at ISO/TC 38 meetings in London, (Sylvester), January, 32
D-14, New Orleans meeting, July, 28
D-15, significance of reserve alkalinity in engine antifreezes, October, 41
D-19, honors Max Hecht, May, 46
D-22, meeting in Boulder, Colo., August, 43
E-27, developments in CHETAH program, August, 43

E-29, task force findings on particle shape determination, July, 29
E-30, organizational meeting, January, 34
E-31, systems approach to laboratory automation, (J. W. Fraser), February, 36
F-6, ad-hoc committee meeting on resilient floor coverings, February, 47
F-9, organizational meeting held, May, 45
ASTM districts
Detroit, fall meeting in Detroit, February, 49
New England, Cambridge meeting, January, 33
Northern California, Berkeley meeting, May, 46
Northern California, Los Angeles meeting, August, 42
Northern Plains, St. Paul meeting, May, 46
Rocky Mountain, Flagstaff meeting, September, 44
Standing committee, Chicago meeting, December, 37
ASTM fifty-year members honored, August, 42
ASTM Meetings
December committee week, committee program, October, 32
October committee week, committee schedule, September, 50
ASTM and the metric system (SI), July, 30
ASTM, national office nominees, April, 34
ASTM-NMAB national symposium program, February, 40
ASTM publications
ASTM as a source of technical books (Batik), March, 39
ASTM versus the copy machine, (Batik), May, 43
Survey of the Annual Book of Standards, (Batik), January, 30
ASTM-SES award, November, 40
ASTM staff, headquarter reorganization and reassignments, July, 32
ASTM standard, recognition of, November, 38

B

Batik, A. L.
ASTM as a source of technical books, March, 39
ASTM versus the copy machine, May, 43

survey of the Annual Book of Standards, January, 30
Benedict, Robert P., receives award of merit, August, 38
Benson, Raymond P., receives Hogentogler award, August, 40
Berling, James T., receives Richard L. Templin award, August, 41
Buildings, performance concept, February, 48

C

Chafflux, Jean A., receives ASTM-SES award, November, 40
Cisler, Walker, L., receives Award to Executives, August, 40
Conferences
International standards development, 1 September meeting, December, 32
Pittsburgh meeting on analytical chemistry and spectroscopy, July, 29
Standardization needs relating to recycling of solid wastes, 26 August meeting, December, 40
COPANT, copper committee meeting at ASTM headquarters, January, 34
COSMAT survey, National Academy of Sciences, November, 36
Curley, James B., nominee for national office, April, 34

D

Degenkolb, Henry J., Northern California district, August, 42
Dolan, Thomas J., receives award of merit, August, 38

E

Engine antifreezes, committee D-15, October, 41
Fifty year members honored, August, 42

Finch, Donald I., 1971 nominee for national office, April, 34
 Foster, Bruce E., receives award of merit, August, 38
 Fraser, J. W., systems approach to laboratory automation, (ASTM Committee E-31), February, 36

G

Gillett lecture, Frank S. G. Williams presents, April, 37
 Gilliland, John L., receives award of merit, August, 38

H

Hale, Creighton J., presents Marburg lecture at annual meeting, April, 37
 Hamburger, Walter J., receives award of merit, August, 38
 Hansen, Waldemar C., receives honorary membership, July, 34
 Hecht, Max, honored by Committee D-19, May, 46
 Heiligman, Harold A., receives award of merit, August, 38
 Hess, Wilmot N., distinguished lecturer on research, March, 39
 receives Excalibur memento, July, 36
 Honorary membership, July, 34

I

Intersociety relations committee, (O'Connor), April, 31
 Isabelle, Henri L., is co-recipient of P. H. Bates award, November, 40

J

Jensen, Malcolm W., receives L. J. Markwardt award, August, 41
 Johnson, Rudard A., 1971 nominee for national office, April, 34

K

Kimball, Cyril S., receives award of merit, August, 38
 Koppes, Wayne F., receives award of merit, August, 39
 Kuguel, Roberto, receives Sanford E. Thompson award, August, 41

L

LaQue, Francis L., elected president of International Organization for Standardization (ISO), January, 29
 Love, S. Kenneth, receives honorary membership, July, 34

M

Manson, Philip W., receives award of merit, August, 39
 Marburg lecture, Creighton J. Hale presents, April, 37
 Marshall, Jr., Thomas A., distinguished lecture on research, March, 39
 Mitton, Parker B., receives ASTM Pearce award, April, 40
 Moavenzadeh, Fred, receives Sanford E. Thompson award, August, 41
 Murphy, D. Kent, receives Hogentogler award, August, 40

Mc

McClelland, James D., 1971 nominee for national office, April, 34
 McCreath, Dougal R., receives Hogentogler award, August, 40

N

National Academy of Sciences, COSMAT survey, November, 36
 Nominees for national office, April, 34
 Nondestructive testing, first plenary meeting of the ISO technical committee no. 135, June, 46
 North American materials evaluation exposition, ASTM, May, 39
 Novak, Stephen R., receives Sam Tour award, August, 41

O

O'Connor, Robert T., intersociety relations committee, April, 31
 receives award of merit, August, 39

P

Photographic exhibit, ASTM, October, 30
 Prediction of material performance, ASTM-NMAB national symposium, February, 40
 Project threshold, operational stage, May, 44

R

Rarig, Frederick J., 1971 nominee for national office, April, 34
 Rather, James B., honored by Committee D-2, July, 36
 Resilient floor coverings, ad-hoc committee of wives on consumer standards, February, 47
 Rinn, Harold W., receives award of merit, August, 39
 Rolfe, Stanley T., receives Sam Tour award, August, 41

S

Schaefer, Adolph O., receives honorary membership, July, 35
 Shobert, Erle L., II, 1971 nominee for national office, April, 34

Shultz, James, I., receives Lundell-Bright Award, August, 40
 Shuman, Everett C., receives Walter C. Voss award, August, 42
 Slot, Thomas, receives Richard L. Templin award, August, 41
 Smith, R. B., ASTM presidential address, October, 26
 Sookne, Arnold M., receives Harold DeWitt Smith medal, July, 35
 Srawley, John E., receives award of merit, August, 39
 Stentz, Raymond H., receives Richard L. Templin award, August, 41
 Sylvester, Charles A., Committee D-13 represented at ISO/TC 38 meetings in London, January, 32

U

Unified numbering system for metals and alloys, April, 38

V

Vanick, James S., receives honorary membership, July, 35

W

Weaver, William S., is co-recipient of P. H. Bates award, November, 40
 Wheeler, John S., 1971 nominee for national office, April, 34
 Wilkes, J. Fred, receives Max Hecht award, March, 43
 Williams, Frank S. G., presents Gillett lecture at annual meeting, April, 37
 Williamson, Fred W., is co-recipient of P. H. Bates award, November, 40
 Willenbrock, F. Karl, 1971 nominee for national office, April, 34
 Wilson, Mabel F., receives award of merit, August, 39
 Wright, Raymond R., Jr., receives award of merit, August, 39

■ ■ ■

MOVING?

To insure uninterrupted service on your *MR&S* subscription, please notify us at least six weeks before you move.

1. Attach your address label from a recent issue in the space provided opposite. (If label is not available, be sure to give your old address, including Zip Code)



2. Print your name, membership no., and address below. (Be sure to include Zip Code)

3. Mail entire notice to: **ASTM Headquarters
 Circulation Dept.
 1916 Race St.
 Phila., Pa. 19103**

Name _____ Membership No. _____

New Address _____

City _____ State _____ Zip Code _____

(please print or type the above information)

Index to Books Reviewed in MR&S—1971

This is an index to all book reviews published in MR&S during 1971

A

- Acta Polytechnica Scandinavica*, B. B. Storakers, October, 35
 Allen, A. W. (book review): Phase Diagrams: Materials Science and Technology, Vol. 1, May, 47
 Phase Diagrams: The Use of Phase Diagrams in Metals, Refractory, Ceramic and Cement Technology, Vol. II, August, 51
Analysis of Air Pollutants, W. Leithe, July, 38

B

- Bement, A. L. (book review): Ceramic Nuclear Fuels, October, 35
 Bickling, Charles A. (book review): Reliability Mathematics: Fundamentals; Practices; and Procedures, August, 51
 Bomzer, H. W. (book review): Optimization: Theory and Practice, August, 51
 Burlant, W. J. (book review): Characterization of Coatings: Physical Techniques, Part 1, May, 53

C

- Ceramic Nuclear Fuels*, O. L. Kruger and A. I. Kaznoff, October, 35
Characterization of Coatings: Physical Techniques, Part 1, R. R. Myers and J. S. Long, eds., May, 53
Chemistry and Physics of Carbon, Philip W. Walker, Jr., August, 51
 Conant, F. S. (book review): Introduction to Rubber, October, 35
 Connell, G. L. (book review): Modern Diffraction and Imaging Techniques in Material Science, July, 38
Construction Sealants and Adhesives, J. P. Cook, July, 38
 Cook, H. M., Jr. (book review): Quality Planning and Analysis: From Product Development Through Usage, April, 44
Corrosion Prevention for Practicing Engineers, Joseph F. Bosich, May, 52

D

- Davis, E. A. (book review): *Acta Polytechnica Scandinavica*, October, 35
Dielectric Properties and Molecular Behavior, Nora E. Hill, A. H. Price, W. E. Vaughn and Mansel Davies, July, 38
Diffusion Data, Vol. III, No. 4, Diffusion Data Center, May, 47
 Dolan, T. J. (book review): Physical Properties of Plant and Animal Materials, Vol. 1, January, 37

E

- Electrical, Magnetic and Visual Methods of Testing Materials*, J. Blitz, W. G. King, and D. G. Rogers, July, 38
Electron Optical Applications in Materials Science, L. E. Murr, January, 37
 Ernsberger, F. M. (book review): Structure and Mechanical Properties of Inorganic Glasses, September, 46

- Etris, S. F. (book review): Standards in Canada, December, 43

G

- Gases and Metals*, O. Kubaschewski, A. Cibula, and D. C. Moore, January, 37
 Goepfert, W. P. (book review): Probability for Practicing Engineers, August, 51

H

- High Temperature Oxides—Part II: Oxides of Rare Earths*, A. M. Alper ed., September, 46
High Temperature Oxides: Part 1—Magnesia, Lime and Chrome Refractories, A. M. Alper, ed., May, 55
 Hill, W. C. (book review): Quaternary Landscape in Iowa, August, 51
 Hoch, Michael (book review): Thermal Conductivity, Vol. II, May, 54
 Hoffman, N. J. (book review): Diffusion Data, Vol. III, No. 4, May, 47

I

- Intermetallic Semiconducting Films*, H. H. Wieder, September, 46
International Dictionary of Metallurgy, Mineralogy, Geology, Mining, and Oil Industries: English, French, German, Italian, Angelo Cagnacci-Schwicker, October, 35
Introduction to Rubber, J. Le Bras, October, 35
Introductory Soil Mechanics and Foundation, G. B. Sowers and G. F. Sowers, April, 46

J

- Johnson, A. I. (book review): International Dictionary of Metallurgy, Mineralogy, Geology, Mining, and Oil Industries: English, French, German, Italian, October, 35

L

- Langfelder, L. J. (book review): Introductory Soil Mechanics and Foundation, April, 46
 Lodge, J. P., Jr. (book review): Quantitative Analysis of Gaseous Pollutants, April, 46
 The Analysis of Air Pollutants, July, 38
 Lord, P. R. (book review): Textile Fabrics and Their Selection, October, 35
 Lozier, W. W. (book review): Chemistry and Physics, August, 51

M

- Machine Tool Dynamics, An Introduction*, D. B. Weibourn and J. D. Smith, December, 43
 Mathes, K. N. (book review): Dielectric Properties and Molecular Behavior, July, 38
Metal Deformation Processes: Friction and Lubrication, J. A. Schey, October, 35

- Minahan, Joseph A. (book review): Physical Measurement and Analysis of Thin Films, Progress in Analytical Chemistry, Vol. II, July, 38
Modern Diffraction and Imaging Techniques in Material Science, S. Amelinckx, R. Gebers, G. Remuat, and J. Van Landuyt, July, 38
 Morgan, J. B. (book review): Electrical, Magnetic and Visual Methods of Testing Materials, July, 38

O

- Optimization: Theory and Practice*, Gordon S. G. Beveridge and Robert S. Schechter, August, 51

P

- Pearson, V. P. (book review): Corrosion Prevention for Practicing Engineers, May, 52
Phase Diagrams: Materials Science and Technology, Vol. 1, A. M. Alper, ed., May, 47
Phase Diagrams: The Use of Phase Diagrams in Metals, Refractory, Ceramic and Cement Technology, Vol. II, A. M. Alper, August, 51
Physical Measurement and Analysis of Thin Films, Progress in Analytical Chemistry, Vol. II, E. M. Hurt and W. G. Guldner, July, 38
Physical Properties of Plant and Animal Materials, Vol. 1, N. N. Mohsenin, January, 37
Probability for Practicing Engineers, Henry L. Gray and Patrick L. Odell, August, 51
 Pursifull, R. W. (book review): Construction Sealants and Adhesives, July, 38

Q

- Quality Planning and Analysis: From Product Development Through Usage*, J. M. Juran and F. M. Gryna, Jr., April, 44
Quantitative Analysis of Gaseous Pollutants, W. E. Ruch, April, 46
Quaternary Landscape in Iowa, R. V. Ruhe, August, 51

R

- Reliability Mathematics: Fundamentals; Practices; and Procedures*, Bertram L. Amstadter, August, 51
 Roth, Robert S. (book review): High Temperature Oxides—Part II: Oxides of Rare Earths, September, 46
 Russ, J. C. (book review): Electron Optical Applications in Materials Science, January, 37

S

- Schumann, P. A. Jr. (book review): Intermetallic Semiconducting Films, September, 46
 Schmidt, A. O. (book review): Machine Tool Dynamics, An Introduction, December, 43
 Sherby, Oleg D. (book review): Vacancies and Interstitials in Metals, April, 44
 Smothers, Dr. W. J. (book review): High Temperature Oxides: Part 1—Magnesia, Lime and Chrome Refractories, May, 55

Standards in Canada, R. F. Leggett, December. 43
Stanley, J. K. (book review): *Gases and Metals*,
January, 37

*Stress Analysis of Circular Plates and Cylindrical
Shells*, F. J. Stanek, May, 52

*Structure and Mechanical Properties of Inorganic
Glasses*, G. M. Bartenev, September, 46

T

Textile Fabrics and Their Selection, I. S. Wingate,
October, 34

Thermal Conductivity, Vol. II, R. P. Tye, ed., May,
54

V

Vacancies and Interstitials in Metals, A. Seeger,
D. Schumacher, W. Schilling, and J. Diehl, eds.,
April, 44

W

Water Supply Treatment, M. L. Riehl, December,
43

Weissmann, G. F. (book review): *Stress Analysis
of Circular Plates and Cylindrical Shells*, May,
52

Wojtowicz, W. J. (book review): *Metal Deformation
Processes: Friction and Lubrication*, October,
35

Z

Zievers, J. F. (book review): *Water Supply Treat-
ment*, December, 43

SEMINARS

Jan. 10-14—Tustin Institute of Technology,
Inc., An Introduction to Vibration and Shock
Testing, Measurement, Analysis and Calibration,
Charter House Hotel, Alexandria, Va., Fee—
\$250. Contact: Tustin Institute of Technology,
22 E. Los Olivos St., Santa Barbara, Calif. 93105
or Tele: (805) 963-1124.

Jan. 24-28—Tustin Institute of Technology,
Inc., Vibration and Shock Test Fixture Design,
Los Angeles, Calif., Fee—\$290. Contact: Tustin
Institute of Technology, 22 E. Olivos St., Santa
Barbara, Calif. 93105 or Tele: (805) 963-1124.

Jan. 24-28—University of California, Evaluation
Technology: The Application of Utility and
Decision Theory to Planning, Operating and
Managing Complex Systems, UCLA Campus,
Los Angeles, Calif., Fee—\$335. Contact: UCLA,
P.O. Box 24902, Continuing Education in Engi-
neering and Science, University Extension, Los
Angeles, Calif. 90024 or Tele: (213) 825-3344
or 825-1295.

Jan. 24-28—University of California, Appli-
cations of Electron Beam Technology, Los
Angeles, Calif., Fee—\$325. Contact: Robert W.
Rector, Associate Director of Short Courses,
UCLA, Continuing Education in Engineering
and Sciences, UCLA, 6115 Mathematical Sci-
ences Bldg., Los Angeles, Calif. 90024.

Jan. 31-Feb. 4—University of California,
Analytical Fracture Mechanics, Los Angeles,

Calif., Fee—\$325. Contact: Robert W. Rector,
Associate Director of Short Courses, UCLA,
Continuing Education in Engineering and Sci-
ences, UCLA, 6115 Mathematical Sciences
Bldg., Los Angeles, Calif. 90024.

Feb. 14-18—University of California, Systems
Evaluation and Measurement Techniques, Los
Angeles, Calif., Fee—\$325. Contact: Robert W.
Rector, Associate Director of Short Courses,
UCLA, Continuing Education in Engineering
and Sciences, UCLA, 6115 Mathematical Sci-
ences Bldg., Los Angeles, Calif. 90024.

Feb. 21-25—American Society for Quality
Control, Quality Control Engineering, Mil-
waukee, Wis. Contact: David C. Leaman, Direc-
tor Education and Training Institute, American
Society for Quality Control, 161 W. Wisconsin
Ave., Milwaukee, Wis. 53203.

Mar. 6—PMC Colleges, Designing for Noise
Control, Chester, Pa. Contact: Mrs. Yeager,
Secretary to the Director, PMC Colleges,
Chester, Pa. or Tele: (215) 876-5551, ext. 284.

■ ■ ■



But the ATLAS WEATHER-OMETER® can give you comparable results in a fraction of the time.

The versatile Type W frame has broadened its modular concept. It is now available with any of the Atlas standard light sources: 6000 W. Xenon Arc, Sunshine Arc, Enclosed Carbon Arc.

This building block design allows purchase of a basic unit and later field installations of additional controls and features.



**ATLAS
ELECTRIC
DEVICES
COMPANY**

Designed to hold up to 70 individual 2 3/4" x 8" specimens, the Atlas Type W Weather-Ometers include as standard equipment thermistor temperature controls, an electric humidifier, automatic program controls, specimen spray simulating rain and providing thermal shock plus many user conveniences. Modular additions include automatic humidity control, 2 pen chart recorder, air and water refrigeration and/or heaters for extended temperatures and a complete line of atmospheric contaminant controls to introduce ozone, sulfur dioxide and oxides of nitrogen into the test chamber. Test results give dependable correlation and repeatability. Atlas Weather-Ometers are used in laboratories all over the world where test programs of the ASTM, ISO, AATCC plus other government and industrial specifications are conducted. Write for our new catalog.

4114 N. RAVENSWOOD AVE. CHICAGO, ILL., U.S.A. 60613
PHONE 312 - 327-4520 / CABLE: ATELDECO

FOR FURTHER INFORMATION CIRCLE 2121 ON READER SERVICE CARD